

**bolle**  
SAFETY



***TAILORED* FOR YOUR *VISION***

INNOVATIVE **VISION**



# TAILORED FOR YOUR VISION

**TAILORED FOR YOUR VISION**, a new message that shows that we have always focused **exclusively on eye protection** and that **innovation** is at the heart of our developments to meet our users' needs as fully as possible.

Because we are eye protection specialists, we propose a **complete range of spectacles, goggles and welding helmets** adapted to every situation, a **range of quality prescription lenses** and a **Civil protection and Defence** range for the military, customs, police... and shooting sports.

We always go the extra mile to propose new eye protection for specific uses or environments. Check them out in **your new catalogue**. **It is more practical**, has clearer product segmentation and makes it possible to easily identify our flagship products and new technology: **new products** for all budgets, the extension of our solar and polarising solutions (because the sun, light and UVs are also an everyday risk) and **new products to complete the EXCELLENCE prescription range, which is the market leader**.

Tailored for your vision, is also the bespoke creation of **two new goggle versions for industry and healthcare**, models you can customise **to your colours and brands** and a **new on demand offer to develop special products**.

**Also, coming soon, an entire special Office range with polycarbonate afocal lenses for effective protection from blue light.**

We are by your side everyday to help you make the right choices and provide solutions to your issues. Don't hesitate to call on our services for **on site training**.

**Excellent protection, an attractive design, a reactive and involved team**, is more than ever the Bollé Safety signature.

**Damien Guillobez**  
Executive Vice President







**A-Z PRODUCTS INDEX** p. 4

**THE NEW COLLECTION** p. 6

**BOLLÉ SAFETY, THE  
EYEWEAR SPECIALIST**

- Over 130 years of innovation p. 8
- Our mission p. 9
- An international brand p. 10

**SUPPORTING YOU TO RAISE AWARENESS** p. 12

**MAKE THE RIGHT CHOICE**

- Markings and standards p. 14
- What type of protection to choose? p. 16
- Lenses adapted to every situation p. 18
- **PLATINUM**: a Bollé Safety exclusive coating p. 24
- Innovation for increased performance p. 26

**OUR COLLECTIONS**

- Your customised models p. 28
- Spectacles p. 30
- Goggles p. 66
- Safety face shields p. 82
- Welding p. 86
- Prescription p. 94
- **B LINE** p. 118
- Other references p. 122
- Accessories p. 123
- Civil protection and defence p. 127

**QUICK SEARCH** p. 130



# ***A-Z PRODUCTS INDEX***

*ALL MODELS MARKED  
WITH AN ASTERISK \*  
CAN BE CUSTOMISED TO  
YOUR BRAND!*





## SPECTACLES p. 34-65



<b>AXIS</b>	p. 60
<b>BANDIDO</b>	p. 62
<b>BAXTER *</b>	p. 51
<b>BAXTER POLARIZED *</b>	p. 35
<b>B808</b>	p. 63
<b>COBRA *</b>	p. 46
<b>COBRA HYBRID *</b>	p. 54
<b>CONTOUR *</b>	p. 50
<b>CONTOUR METAL</b>	p. 57
<b>CONTOUR POLARIZED *</b>	p. 37
<b>HUSTLER *</b>	p. 38
<b>ILUKA</b>	p. 58

<b>IRI-s</b>	p. 48
<b>MERCURO *</b>	p. 34
<b>NESS</b>	p. 61
<b>NESS+ *</b>	p. 40
<b>OVERLIGHT</b>	p. 64
<b>PRISM</b>	p. 61
<b>RUSH</b>	p. 60
<b>RUSH+ *</b>	p. 42
<b>RUSH+ ASSEMBLED *</b>	p. 55
<b>RUSH+ GLOW</b>	p. 45
<b>RUSH+ SMALL *</b>	p. 44

<b>SILEX</b>	p. 59
<b>SILEX+*</b>	p. 39
<b>SILIUM</b>	p. 56
<b>SILIUM+ *</b>	p. 41
<b>SLAM</b>	p. 62
<b>SQUALE</b>	p. 64
<b>TRACKER II</b>	p. 53
<b>TRYON *</b>	p. 49
<b>TRYON OTG</b>	p. 65
<b>TRYON POLARIZED *</b>	p. 36
<b>ULTIM8 *</b>	p. 52

## GOGGLES p. 69-81



<b>ATOM</b>	p. 75
<b>BLAST</b>	p. 73
<b>CHRONOSOFT</b>	p. 81
<b>COBRA TPR *</b>	p. 76
<b>COVERALL</b>	p. 74
<b>COVERALL AUTOCLAVE</b>	p. 79
<b>COVERALL CLEAN</b>	p. 79
<b>PILOT *</b>	p. 72
<b>PILOT FIREFIGHTER</b>	p. 80
<b>SUPERBLAST</b>	p. 70
<b>SUPERBLAST AUTOCLAVE</b>	p. 78
<b>ULTIM8 *</b>	p. 77
<b>180 *</b>	p. 69

## SAFETY FACE SHIELDS p. 84-85



<b>TILTING SHIELD</b>	p. 85
<b>SPHERE</b>	p. 84



## WELDING p. 89-93



<b>BANDIDO</b>	p. 92
<b>COVERSAL</b>	p. 92
<b>FLASH</b>	p. 89
<b>FUSION+</b>	p. 90
<b>SLAM</b>	p. 92
<b>SQUALE</b>	p. 92
<b>SUPERBLAST</b>	p. 92
<b>TRACKER II</b>	p. 92
<b>VOLT</b>	p. 91

## PRESCRIPTION p. 98-117



<b>BAXTER RX</b>	p. 107
<b>B708</b>	p. 115
<b>B710</b>	p. 114
<b>B711</b>	p. 114
<b>B712</b>	p. 113
<b>B713</b>	p. 112
<b>B805</b>	p. 102
<b>B806</b>	p. 103
<b>B806 ALU</b>	p. 115
<b>B807</b>	p. 102
<b>B808 II</b>	p. 101
<b>B809</b>	p. 100
<b>HARPER</b>	p. 110

<b>HUSTLER RX</b>	p. 111
<b>KICK</b>	p. 99
<b>KICK OFFICE</b>	p. 117
<b>MACRO</b>	p. 105
<b>SLIDE</b>	p. 106
<b>SPICY</b>	p. 98
<b>SPICY OFFICE</b>	p. 116
<b>TRACKER RX</b>	p. 108
<b>TRYON RX</b>	p. 109
<b>TWISTER</b>	p. 108
<b>URBAN</b>	p. 106
<b>XTRA</b>	p. 104

## BLINE p. 120-121



<b>BL11</b>	p. 120
<b>BL13</b>	p. 120
<b>BL15</b>	p. 121
<b>BL20</b>	p. 121
<b>BL30</b>	p. 120

## ACCESSORIES p. 124-126

<b>CLEANING PRODUCTS</b>	p. 124
<b>CASES AND CORDS</b>	p. 126



## CIVIL PROTECTION AND DEFENCE p. 128



Use quick search to find  
your models **P. 130-131**



# NEW COLLECTION

## BECAUSE WE ARE EYE PROTECTION SPECIALISTS,

we always go the extra mile to propose new products for specific uses or environments.

New models have been added to the protective spectacles category: **MERCURO**, the specific outdoor model, **SILEX**, a sporty design with a wide field of vision and **SILEX+**, its Platinum version, **ILUKA**, thin and cost effective and new versions of **RUSH+ SMALL**, **BAXTER** and **TRYON**.

Our **EXCELLENCE** prescription range has become clearer and has new **XTRA** and **TRYON RX** frames.



p. 34 - **MERCURO**



p. 39 - **SILEX+**



p. 35 - **BAXTER POLARIZED**



p. 44 - **RUSH+ SMALL**



p. 36 - **TRYON POLARIZED**



p. 58 - **ILUKA**





p. 59 - **SILEX**



**PRESCRIPTION**

p. 107 - **BAXTER RX**



p. 78 - **SUPERBLAST AUTOCLAVE**



**PRESCRIPTION**

p. 104 - **XTRA**



**PRESCRIPTION**

p. 109 - **TRYON RX**



p. 120 - **BL30**





**BOLLÉ SAFETY**  
**THE EYEWEAR SPECIALIST**

# OVER 130 YEARS OF INNOVATION

## OVER THE YEARS BOLLÉ HAS BECOME A GLOBAL BRAND

Although initially benefiting from the Bollé brand image, year after year, Bollé Safety has developed its own distribution network and won its independence. Today, Bollé Safety is distributed in over 90 countries and over 15 million workers wear protective spectacles bearing the Bollé Safety signature. A remarkable sports-protection synergy!



**TODAY**

**bollé**  
SAFETY

IS SOLD IN OVER **90 COUNTRIES**  
**15 MILLION**  
WORKERS WEAR BOLLE SAFETY PROTECTION



# OUR MISSION

## **PROTECT WORKERS' VISION,**

all over the world, in the most extreme environments and improve their performance. Personalise eye protection, develop tailor-made solutions, adapt our expertise to the specific constraints of each region, anticipate new needs and requirements of the expanding markets...

Every day we go further to satisfy the needs of our clients.

**#INNOVATIVEVISION**

## **BOLLÉ SAFETY IS NOW PART OF:**

**B O L L É   B R A N D S ™**



SERENGETI



# OUR OBJECTIVES



## **PUT EYE PROTECTION AT THE CORE OF OUR EXPERTISE**

and develop innovative solutions tailored to every market.



## **DESIGN, MANUFACTURE AND MARKET**

products that people want to wear and meet user expectations, to be "user centric".



## **GUARANTEE OUR CUSTOMERS**

a high level of safety, comfort, exceptional quality and innovation.



## **SIMPLIFY OUR**










customers' work by providing the highest quality of service at all levels.





# INTERNATIONAL PRESENCE, OUR CUSTOMER TESTIMONIALS

Through its major international position, Bollé Safety detects all potential risks in the work environment to provide innovative solutions, advanced and targeted lens coatings that comply with the strictest international standards (CE, ANSI, AS/NZS, CSA, EAC and JIS). Bollé Safety has over **150,000 partner companies** in the world in all sectors of activity in which there is a risk to the eyes:

-  **Aviation**
-  **Automotive**
-  **Industry**
-  **Oil & gas**
-  **Construction**
-  **Food processing**
-  **Pharmaceutical  
Bio-technology**
-  **Energy**
-  **Civil protection  
and defence**



**Safety Manager  
at AIRBUS HELICOPTERS**

*Airbus helicopters is the leading manufacturer of civilian helicopters in the world and one of the main manufacturers of military helicopters. It employs around 20,000 people globally.*

## **Since when have you been working with Bollé Safety?**

I have been in charge of safety at Airbus Helicopters at Marignane and Paris-le-Bourget since 2013. Bollé Safety products were already used by staff when I arrived. We have been working with the brand for over 10 years.

## **Why did you decide to continue working with them?**

They have quality products and the feedback from the field has always been positive. Just last year, new products became popular, in particular the COBRA. For prescription glasses, I appreciate the simplicity and efficiency of the web shop. I have good visibility of my orders and of all the people who are kitted out. So even for prescription glasses, the circuit is very simple and I save time because I no longer need to contact the opticians to get the information I need. I have a clear and reliable real time view. Finally, I greatly appreciate the sales contact: available, reactive and highly professional because they are attentive to solving every issue.

## **What criteria did you use to select Bollé Safety?**

- If PPE is ugly people don't wear it. So appearance is important.
- Lightness, as protection must be worn for 8h.
- How well the product stays on the head, as some jobs require leaning or crouching positions.
- Strength, because users are not always very careful.

## **What differentiates Bollé Safety from the other players on the market?**

The "BOLLÉ" name has an impact on users. It's a trusted brand, a reference that infers professional quality.

\* Airbus Helicopters employees.

## **WHY DO THEY PREFER BOLLÉ SAFETY?**

**COMFORT** **ADAPTABILITY**  
**QUALITY** **INNOVATION**  
**PERFORMANCE** **DESIGN**  
**LIGHTWEIGHT**



**ANDY BROWN**

**Safety and well-being manager at BACHY SOLETANCHE LTD on the VINCI Construction group major: THAMES TIDEWAY PROJECT**

*The Thames Tideway programme is a project to transfer and store waste water and rainwater in central London, i.e. 32 kilometres of tunnels to increase existing network capacity. Begun in 2016, it is scheduled for completion in 2022. 500 to 750 people work on this project.*

**You have been loyal to Bollé Safety since 2016 to protect your teams, what were your selection criteria for the Thames Tideway project?**

I started with a field test using different brands of protective spectacles: RUSH+ from Bollé Safety but also Uvex and Riley. Steve L., my contact at Bollé Safety, came on site to give training. Just handing over a pair of spectacles isn't enough, if you want workers to wear them, you need to explain the product's characteristics and how it works, you need to show them how the product adapts to varying morphology (head size, shape of the nose, etc.). He also demonstrated the effectiveness of the PLATINUM® anti-fog coating.

**Which characteristics set Bollé Safety apart from the other players on the market?**

Glass quality is very important and the feedback from users in the field was unanimous on the RUSH+ model for its comfort, its wrap-around feature, the flexibility of the temples and the bridge. RUSH+ meets all these criteria.

When you wear eye protection 8 to 9 hours every day, comfort is essential. The model is very adaptable to different facial morphology.

We also use the retainer strap on that model, as well as the cases and cleaning wipes.

Accessories are important too!

**PATRICK DEKENS**

**PPE Safety advisor - for 38 years at AUDI Belgium. 3000 employees of which 500 wear protective spectacles.**

**You have been a loyal Bollé Safety PPE partner for your employee protection for over 10 years, what are your main reasons?**

First of all, I'm very happy with our relationship with Nicolas V. whose role is to support and advise us. He's friendly and reactive, thanks to him there are never any problems, just solutions!

As for the products, the range is very broad and there is a wide variety of lens colours.

Audi has selected 4 models that are suitable for everyone and I'm still impressed by PLATINUM®. It is a really very effective anti-fog coating.

I also appreciate the comfort of the different models.

**How would you describe the relationship with Bollé Safety ?**

Bollé Safety is a great partner for audits, user tests, for better adoption by employees.

I trust the products and the brand.

**In your opinion, how does Bollé Safety stand out from the competition?**

Bollé Safety's main strengths? Service and product quality and comfort. In 12 years I have never had the slightest problem!

Bollé Safety is an excellent supplier.

With 500 people wearing eye protection, I also appreciate Bollé Safety's reactivity in answering questions and finding solutions.

Bollé Safety is a known brand that innovates all the time, for example by offering the possibility of customising equipment using our brand and colours!

Finally, Bollé Safety is more competitive than Uvex.

All that makes the difference.

**“ IT'S EASY TO CREATE PRESCRIPTION VOUCHERS ON THE WEBSHOP AND THE PRESCRIPTION PRODUCTS ARE GOOD VALUE FOR MONEY ”**

**“ BOLLÉ SAFETY IS RECOGNISED AS THE LEADER IN PROTECTIVE SPECTACLES ”**

**“ THE ANTI-FOG IS THE MOST EFFECTIVE TESTED AMONG SEVERAL OTHER BRANDS ”**

The 3 characteristics users most appreciate are: **COMFORT - DESIGN - TECHNICITY**

SEE MORE  
TESTIMONIALS  
ON OUR  
WEBSITE  
[bolle-safety.com](http://bolle-safety.com)





# SUPPORTING YOU TO RAISE AWARENESS

## AS TECHNICAL EXPERTISE ALONE IS NOT ENOUGH, WE SUPPORT YOU IN PREVENTING RISKS!

Our mission does not stop at designing and producing effective and comfortable eye protection in all situations. Even if the overall number of accidents is dropping, there are still too many. A lot of them could be avoided if all employees protected themselves. Informing and educating to change behaviour is also our concern. To achieve it, we help you in the field.

## KEY FIGURES THAT CALL FOR ACTION...

### In EUROPE:

■ There were over **3.2 MILLION** workplace accidents in 2015 involving at least 4 days of sick leave.<sup>1</sup>


■ Significantly increased costs in 2019<sup>2</sup>

↑ **+3.7%**  
in 2019

↑ **+18%**  
since 2012

(mean cost of workplace accidents and occupational diseases)

■ The most impacted sectors<sup>1</sup>  
(non-fatal workplace accidents - 2015)



## AVAILABLE TOOLS

### Training booklet

To order simply email at quickly at:  
[marketing@bolle-safety.com](mailto:marketing@bolle-safety.com).  
Your Bollé Safety contacts can support you  
by offering suitable personalised training.



# THE MOST COMMON CAUSES OF EYE INJURIES <sup>3</sup>



**Flying particles**  
(pieces of metal, glass, wood, concrete)



**Tools**



**Dust**



**Chemicals**  
(spray and fumes)



**Radiation**  
(in particular visible light, ultraviolets, heat or infrared radiation and lasers)



**Pathogens**  
(transmitted by blood (hepatitis or HIV) from body fluids, including blood.)<sup>4</sup>

# THE MOST COMMON REASONS WHY WORKERS FAIL TO WEAR EYE PROTECTION <sup>5</sup>



**The lack of comfort and adjustability**



**Fogging**



**Scratches on the lenses**

**10 to 20%**

of accidents involving the eyes **will cause temporary or permanent sight loss.** <sup>4</sup>

**90%**

of accidental eye injuries **could be avoided or reduced by wearing suitable eye protection.** <sup>4</sup>

<sup>1</sup> [https://ec.europa.eu/eurostat/statistics-explained/index.php?title=Accidents\\_at\\_work\\_statistics#Standardised\\_incidence\\_rates](https://ec.europa.eu/eurostat/statistics-explained/index.php?title=Accidents_at_work_statistics#Standardised_incidence_rates)

<sup>2</sup> <https://www.sstrn.fr/actualites/bilan-2018-at-mp>


<sup>3</sup> Source: The vision council -Eye Safety At-a-Glance Protecting Your Vision at Work

<sup>4</sup> Source: <https://www.preventblindness.org/eye-safety-work#:~:text=Eye injuries in the workplace,temporary or permanent vision loss.>

<sup>5</sup> Source: Accident; analysis and prevention 41(4):755-62 · August 2009 Factors influencing worker use of personal protective eyewear

## Posters

To raise your employees' awareness of the risks.





MAKE THE RIGHT CHOICE

# MARKINGS AND STANDARDS

**Bollé Safety lens and frame marking is specific to each product.**

Each marking corresponds to a very specific use. Certified and tested by independent laboratories, this information guarantees protective eyewear quality and resistance.



EN Standard

EN166 FT CE

Lens technology  
Bollé Safety CSP

Manufacturer logo

5-1,4 1 FT KN CE

European standard

**Code (field of use)**  
2: UV filter (EN170)  
4: IR filter (EN171)  
5 or 6: solar filter (EN172)

**Protection class**  
1.2 to 6: visible light filtration

**Crown**  
Manufacturer identification  
Bollé Safety

**Optical class**  
1: high optical quality  
No optical distortion (suitable for permanent wear)

**Mechanical strength**  
S: S. Extra strong, resists a 22 mm 43 g ball falling 1.30 m at 5.1 m/s.  
F: Low energy impact, resists a 6 mm, 0.86 g ball at 45 m/s.  
B: Medium energy impact, resists a 6 mm, 0.86 g ball at 120 m/s.  
A: High energy impact, resists a 6 mm, 0.86 g ball at 190 m/s.  
K: Resistance to surface damage by fine particles (optional).  
N: Resistance to fogging (optional).  
T : The letter T, immediately after the mechanical strength symbol, authorises use in an environment in which high speed particles at extreme temperatures are present.

**The crown:**  
the guarantee of Bollé Safety  
product authenticity and high quality



# EUROPEAN STANDARDS

## ■ BASIC STANDARDS

**EN166** Guarantee of minimum protection against everyday risks (dropping, sun-ageing, heat exposure, corrosion, etc.).

**EN167** Optical test methods.

**EN168** Test methods other than optical.

## ■ STANDARDS BY TYPE OF APPLICATION

The type of use of the product and the corresponding standard are identified by a code (field of use) which is on the lens marking.

**EN169** Welding filters.

**EN170** Ultra-violet filters (code 2 or 3).

**EN171** Infra-red filters (code 4).

**EN172** Industrial use solar protection filters (code 5 or 6).

**EN175** Equipment for welding (presence of the EN175 marking on the product).

**EN207** Laser protection spectacles (code LB1 to LB10).

**EN208** Laser adjustment spectacles (code R1 to R5).

**EN379** Specification covering welding filters (EN379 marking on the filter).

**Bollé Safety product approval certificates to CE standards will be sent on request.**

## ■ FRAME MARKING

Frame marking must include the CE symbol and manufacturer identification (logo or brand). If the spectacles refer to the EN standard, the EN standard number is mandatory together with the various use and mechanical strength symbols, in accordance with the tests requested by the manufacturer.

### ■ Use symbols:

**Only on the frame (chemical protection).**

**3.** Liquid droplets (goggles) or splashes (safety face shields).

**4.** Large dust particles > 5 microns.

**5.** Gas and fine dust particles < 5 microns.

**Marking on the frame and the lenses mandatory.**

**8.** Electrical short circuit arc.

**9.** Molten metal and hot solids.

### ■ Mechanical strength symbols:

**Marking on the frame and the lenses mandatory.**

**S.** Increased strength, resists a 22 mm and 43 g ball falling from a height of 1.30 m at 5.1 m/s.

**F.** Low energy impact, resists a 6 mm, 0.86 g ball at 45 m/s.

**B.** Medium energy impact, resists a 6 mm, 0.86 g ball at 120 m/s.

**A.** High energy impact, resists a 6 mm, 0.86 g ball at 190 m/s.

**T.** The letter T, immediately after the mechanical strength symbol, authorises use in an environment in which high speed particles at extreme temperatures are present.

## ■ MARKING OF LENSES

**Lens marking must include:**

- The scale number for filtering lenses (code).
- The manufacturer's name (logo or brand recommended by the manufacturer).

### ■ Optical class symbols:

**1.** Continuous work - Worn permanently.

**2.** Non-continuous work - Worn intermittently.

**3.** Occasional work, must not be worn permanently.

### ■ Field of use symbols:

**8.** Electrical short circuit arc.

**9.** Molten metal and hot solids.

### ■ Mechanical strength symbols:

**Marking on the frame and the lenses mandatory.**

**S.** Extra strong, resists a 22 mm 43 g ball falling 1.30 m at 5.1 m/s.

**F.** Low energy impact, resists a 6 mm, 0.86 g ball at 45 m/s.

**B.** Medium energy impact, resists a 6 mm, 0.86 g ball at 120 m/s.

**A.** High energy impact, resists a 6 mm, 0.86 g ball at 190 m/s.

**T.** The letter T, immediately after the mechanical strength symbol, authorises use in an environment in which high speed particles at extreme temperatures are present.

### ■ Marking on the lenses only.

**K.** Resistance to surface damage by fine particles (optional).

**N.** Resistance to fogging (optional).

## WARNING

■ **F.** Maximum protection for spectacles.

■ **B.** Maximum protection for goggles.

■ **A.** Maximum protection for face shields.

If the S, F, B, A and T symbols do not apply to both the lens and frame, then the lowest level must be assigned to the complete protective eyewear.



**MAKE THE RIGHT CHOICE**

# WHAT TYPE OF PROTECTION TO CHOOSE?



***For each risk, high performance protection adapted to your industry.***

Assessment of occupational risks involves identifying, assessing and ranking risks in the workplace to implement relevant preventive measures.

It is the initial step in occupational health and safety. It is vital to check that the risk identified, the directives of the standard and the markings on the product all match.





## PROTECTING FROM MECHANICAL RISKS



Grinding work, particle projections, projections of metal filings or debris from tools.

Risks or use	Symbol*	Spectacles	Goggles / Helmets	Safety face shields	Standard
Low energy impact 45 m/s	F				EN166
Medium energy impact 120 m/s	B				EN166
High energy impact 190 m/s	A				EN166

The F, B or A symbol must imperatively be indicated on the lens and the frame to guarantee protection from mechanical risks. If the symbols differ, the symbol representing the lowest resistance applies to the whole protection equipment.



## PROTECTING FROM THERMAL RISKS



Protection from hot liquids or solids, intense heat radiation, radiant heat from furnaces.

Risks or use	Symbol*	Spectacles	Goggles / Helmets	Safety face shields	Standard
Splatters of molten metals and hot solids	9				EN166

The 9 symbol must imperatively be indicated on the lens and the frame to guarantee protection from thermal risks.



## PROTECTING FROM CHEMICAL RISKS



Spray from toxic dust, aerosols, dangerous liquids, gas or toxic vapours.

Risks or use	Symbol*	Spectacles	Goggles / Helmets	Safety face shields	Standard
Liquid droplets	3				EN166
Liquid splashes	3				EN166
Large dust particles > 5 microns	4				EN166
Gas and fine dust particles < 5 microns	5				EN166

The 3, 4 and 5 symbol or symbols must imperatively be indicated on the frame. If none of these numbers is indicated in the markings, then the equipment is not suitable for chemical risks.



## PROTECTING FROM ELECTRIC RISKS



Protection from live contact and short-circuit electric arcs.

Risks or use	Symbol*	Spectacles	Goggles / Helmets	Safety face shields	Standard
Short-circuit electric arc	8				EN166

The 8 symbol must imperatively be indicated on the lens and the frame to guarantee protection from electrical risks.



## PROTECTING FROM RADIATION RISKS



Exposure of the eyes to high intensity, ultraviolet, infrared and visible light sources, welding activities, steelworks, surgery.

Risks or use	Symbol*	Spectacles	Goggles / Helmets	Safety face shields	Reference standard
Ultraviolet radiation	2				EN166 EN170
Infrared radiation	4				EN166 EN171
Solar radiation for industrial use	5 or 6				EN166 EN172
Electric welding	EN175 for the hood EN379 for the filter				EN166-169 EN175 EN379
Gas welding	1.7/3/5				EN166 EN169
Laser radiation	R1 to R5 LB1 to LB10				EN207 EN208

The standard is identified on the lens markings.

\*See the marking in position on page 15.

For further  
information, ask for  
our training booklet.





MAKE THE RIGHT CHOICE

# LENSES ADAPTED TO EVERY SITUATION


























**THE EYE IS AN ESSENTIAL FRAGILE ORGAN  
WHICH DIRECTS OUR MOVEMENTS AND  
GUIDES US IN OUR ENVIRONMENT...**

This is why Bollé Safety has made eye safety its number one priority since 1888. Bollé Safety is constantly innovating to guarantee optimum protection for your eyes with lens coatings which filter out harmful rays and improve your visual comfort.

98%

**OF BOLLÉ SAFETY SPECTACLES  
HAVE A ANTI-SCRATCH AND  
ANTI-FOG COATING**

99%  
**BOLLÉ SAFETY LENSES ABSORB  
UVA/UVB RADIATION**

Polycarbonate Lenses (PC)	Use	Light transmission	Lens	Compatible with PLATINUM	Blue light filtration	Applications
 Clear		90%	2C-1.2			Indoor use
 HD		96%	2C-1.2			Automotive, Paint booth, Quality control
 CONTRAST		88%	5-1.1/1.4		*	Artificial light, Activities under static stations (neons, halogen, etc.), Quality control, Automotive steelworks
 Yellow		82%	2C-1.2		**	Agricultural and forestry environments, Mechanical work, Night vision, Warehouse
 ESP		65%	5-1.4		**	Factory with LED lighting, Fork lift truck operators (indoor/outdoor), Drivers, Night works
 CSP		65%	5-1.4		**	Factory with LED lighting, Fork lift truck operators (indoor/outdoor), Drivers
 TWILIGHT		40%	5-.2		***	Mines, Electricity, Outdoor works
 Light smoke / Smoke		23% 13%	5-2.5 5-3.1		-	Outdoor works, Construction (building, public works)
 POLARIZED		13%	5-3.1		-	Outdoor activities, Drivers, Marine, Drilling rig
 Flash Silver/Red/Blue		13%	5-3.1		-	Outdoor activities, Drivers, Marine, Drilling rig

\* 20-25%  
\*\* 45 - 65%  
\*\*\* 75 - 90%  
- Not suitable for this use

Clear, smoke and CSP lenses cover 95% of the needs of all activities.


# 95%

## OF THE SPECTACLES IN THE RANGE ARE MANUFACTURED FROM POLYCARBONATE

- **Ultra strong** (20 times stronger than conventional mineral glass),
- **Ultra light** (20 g on average for a single lens),
- **Ultra thin** (2.2 mm on average).

Bollé Safety also offers mineral, acetate, CR39 and TRIVEX lenses, mainly for the prescription protective range.

## CHOOSE THE RIGHT LENS FOR YOUR WORK ENVIRONMENT



### Glare protection:

Glare is a difficulty in seeing in the presence of strong light. Vision is altered by too intense light. When working outdoors, regardless of the conditions, it is important to provide glare protection.

### Contrast enhancement:

Contrast is the difference in light between light and dark. Strengthening it makes it possible to better assess the details of our sight in order to be more accurate in more restrictive environments (dark/night for example).



Use the quick search  
to find your models  
**P. 130-131**





## FOR OUTDOOR USE

### POLARIZED



#### THE END OF GLARE!

- **Improves** colour perception and visual comfort.
- **Improves** perception of contrast and depth.
- **Reduces** eye strain.

Available on the MERCURO, BAXTER, TRYON, CONTOUR and HUSTLER models.



### FLASH



- **Protects** from heat.
- Ideal for use **outside in full sunshine**.
- Can be **combined with POLARIZED technology**.

Available on the TRYON and HUSTLER models.



### SMOKE OR LIGHT SMOKE



- Outdoor use only.
- Filters UVA and UVB (99.99%).
- Is **compatible with the PLATINUM anti-fog coating**.



### TWILIGHT



#### IDEAL FOR OUTDOOR USE IN LOW LIGHT CONDITIONS

- Recommended for work **outdoors at dawn and dusk**.
- **Improves contrast** in low light.
- **Effectively absorbs blue light (>75%)**.
- Is **compatible with the PLATINUM anti-fog coating**.

Available on the RUSH, RUSH + and IRI-s models.





## FOR INDOOR/OUTDOOR USE

### CSP



#### Comfort Sensitivity Perception

##### THE BEST INDOOR/OUTDOOR COMPROMISE

- Ideal for all activities requiring exposure **to alternating high and low light.**
- **Adapted** to environments with **extreme temperatures**, both cold and hot.
- **Blue light filtration** and combination with the exclusive **PLATINUM anti-fog coating.**

Available on the following models: RUSH+, RUSH+ SMALL, COBRA, BAXTER, SILIUM+, MERCURO, NESS+, SILEX+, CONTOUR, SLAM+, PILOT and TRYON.



### ESP



#### Extra Sensory Perception

##### COMBATS GLARE DURING FREQUENT MOVEMENTS

- **1 colour, 2 uses** - indoor & outdoor.
- Provides **good visible transmission** (>60%).
- **Reduces glare and reflection** when moving from a dark area to a lit area.
- **Filters blue light.**

Available on the COBRA, CONTOUR, SLAM and CONTOUR MÉTAL models.



### YELLOW



- **Recommended for low light environments**, both indoors and outdoors.
- **Increases contrast** (ideal for night driving for example).
- **Filters blue light.**

Available on the SILEX, TRACKER, COBRA, BANDIDO and SLAM models.






## CHOOSE THE RIGHT LENS FOR INDOOR USE

In an indoor working environment, it is important to define your accuracy requirements for your professional tasks and to assess your blue light exposure risks.

The higher the visible light transmission percentage (the light you see with the naked eye), the more the lens will transmit a high percentage of that light. **Therefore, the closer the transmission is to 100%, the closer we are to visible light without wearing spectacles, which favours vision accuracy.**

Computer screens and LED lighting emit blue-enriched light which can have physiological effects (such as sleeping disorders) and can damage the retina. **Therefore, it is important to choose** lenses that provide high protection from blue light for professionals subjected to intense artificial lighting and for those who spend many hours in front of a screen.



### ANTI-GLARE **B ZEN** PRESCRIPTION

#### ANTI-GLARE, WATER REPELLENT, ANTI-STATIC AND REINFORCED ANTI-SCRATCH COATING

- Lenses without anti-glare coating result in a reduction of light transmission of 10 to 15%, thereby penalising visual quality. Anti-glare coated lenses are perfectly transparent and transmit 99% of light.

### ANTI-GLARE **B ZEN** PRESCRIPTION

#### THE B-ZEN COATING WAS DESIGNED FOR PEOPLE EXPOSED TO BLUE LIGHT AND DIGITAL TOOLS

This water-repellent, anti-glare, anti-static, anti-scratch coating filters about 20% of undesirable blue light and gives:

- Clearer and more accurate eyesight.
- Improved comfort and visual performances.
- Reduces the risk of ARMD and retinal lesions.
- It is very scratch resistant and easy to clean.

Coming soon **A SPECIAL OFFICE RANGE**  
available with afocal polycarbonate lenses  
**FOR EFFECTIVE PROTECTION FROM BLUE LIGHT!**

## HD



High Definition

### A REVOLUTIONARY COATING FOR EXCEPTIONAL CLARITY

- Improves **perception and clarity** thanks to its **exceptional visible light transmission rate** (96%).
- **Increases the wearer acceptance rate** thanks to greater visual comfort as compared to conventional clear lenses.
- Featuring **hydrophobic technology** (used by automotive suppliers), the HD coating guarantees perfect water **resistance in very humid environments and improved visual acuity**.

Available on the RUSH and COBRA models.



## CONTRAST



### FOR BETTER INDOOR WORKING COMFORT

- **Combats the aggression** of artificial lighting.
- **Reduces eye fatigue** providing optimum working comfort and improving contrast and relief.
- **Ideal for activity at a static workstation lit using neons, halogens or other sources of blue light** that can affect the eyes.

Available on the AXIS and COBRA models.



## CLEAR



### INDOOR USE

- Safety spectacles with clear lenses are essential **indoors**.
- Bollé Safety clear lenses provide **90% light transmission**.
- Is **compatible with the PLATINUM anti-fog coating**.







# AN EXCLUSIVITY FROM BOLLÉ SAFETY

## ANTI-SCRATCH AND ANTI-FOG COATING:



## THE OPTIMUM PROTECTION


The European standard only tests the scratch resistance on the outside surface of the lens (K marking) and the fog resistance on the inside surface of the lens (N marking).

At Bollé Safety, we are convinced that scratches and fog do not only attack specific surfaces...


**This is why we have decided to permanently apply the anti-scratch AND anti-fog coating to each lens surface (inside AND outside).**

This dipping process offers protection which is twice as efficient and considerably slows the appearance of fog and scratches.

### Bollé Safety



### OTHERS



# DISCOVER A BROAD CHOICE OF PLATINUM® COATED PRODUCTS

for superior protection from fog and scratches in all work environments

MERCURO  



RUSH+ SMALL   



CONTOUR   



B808 



NESS+   



COBRA   



BAXTER   



TRYON OTG  



SILIUM+   



IRI-s   



ULTIM8 



SILEX+   



RUSH+    



TRYON   



TRACKER II   



180 



COVERALL 



SUPERBLAST AUTOCLAVE 



SUPERBLAST 



ATOM 



COVERALL AUTOCLAVE 



PILOT   



COBRA TPR 



PILOT FIREFIGHTER 





**MAKE THE RIGHT CHOICE**

# INNOVATION FOR INCREASED PERFORMANCE

## REMOVABLE TEMPLES

This technology is used to quickly and easily convert safety spectacles into safety goggles (and vice versa).

The temples can be switched with the foam + strap kit.



### ULTIM8 SPECTACLES

- Protection from low energy impacts 45m/s - "F"

EN166 FT C€



### ULTIM8 GOGGLES


- Protection from medium energy impacts 120m/s - "B"
- Protection from liquid droplets "3", large dust particles "4" and gas and fine dust particles "5"

EN166 3 4 5 BT C€

### COBRA SPECTACLES



Removable temples



### COBRA GOGGLES




Foam + strap kit



## FLEX 160°

**The FLEX 160° technology allows for perfect adjustment regardless of face size.**

The built-in spring hinge technology allows for very flexible temples to adapt to different head sizes, without compromising optical quality.



## FLEX

**Flex technology provides unique flexibility.**

Flexible and fully malleable, the FLEX bridge can be adjusted in all directions and fits all face shapes perfectly thanks to its shape-memory material.



## PIVOTING TEMPLES / TILTING FRONT

This technology is used to adapt the angle of the spectacles to improve protection.



## ADJUSTABLE BRIDGE

Designed to adapt to the nose so the frame sits perfectly on the face.



## PHOSPHORESCENT TEMPLES



**Glow technology makes it possible to be seen in the dark thanks to its phosphorescent material.**

5 minutes under an active light source activates the temple phosphorescence for several hours.

## NEW

### ASIAN FIT

**Because every face is unique and because comfort and safety remain our top priority.**

Bollé Safety has specially designed and developed frames for wider faces and higher cheekbones as well as a lower nasal bridge.

### SMALL FACES

Spectacles adapted to narrow faces.





## OUR COLLECTIONS

# YOUR CUSTOMISED MODELS


**Customise the eyewear of your choice\* using your brand and take advantage of Bollé Safety expertise and quality!**

Bollé Safety was one of the first players to offer its customers a co-branding offer. Thanks to that experience and our commitment to push our limits to satisfy your needs, you benefit from an innovative service and faultless manufacturing quality for your ultimate satisfaction.



## EXCLUSIVITY BOLLÉ SAFETY

You can choose to have your brand markings on the lens, temple or the case (if the product is delivered with a case).



### Exclusive: online customisation module

- Bollé Safety innovates and offers a new exclusive digital service.
- Live a unique experience.
- Available 24\*7.



**CHECK OUT  
THE FULL OFFER IN  
OUR CO-BRANDING  
BROCHURE.**

# 4 GOOD REASONS TO CHOOSE BOLLÉ SAFETY CO-BRANDING FOR YOUR EYE PROTECTION



## **Complete customisation**

We create a product in your image: lens markings, temple markings temple colours, **NO LIMITS on creation!**



## **Your brand is visible**

No matter the industry, your employees will convey the identity of **your brand and raise greater** awareness of your organisation.



## **You have a unique eyewear**

If you wish to place a new order: it's easy, just send us your specific reference and we will start production!



## **Offer your employees spectacles they feel like wearing**

**Because the look is essential** and because it's easier to adopt products in your image, your employees will be **proud to wear their ultra-personalised spectacles!**



**NEW**

Co-branding is also available for some goggle models









# ***SPECTACLES***

*Bollé Safety is always innovating to bring you more performance. Our complete range of spectacles is designed to adapt to all working environments while providing style, comfort, lightness and modularity for optimum protection.*



# SELECTION GUIDE SPECTACLES

Clear	HD	CONTRAST	Yellow	ESP	CSP	TWILIGHT	POLARIZED	Blue flash	Smoke				

	MODELS	PAGES											PLATINUM®
OUTDOOR USE & POLARIZED	MERCURO	P 34	-	-	-	-	-	×	-	×	-	×	+
	BAXTER POLARIZED	P 35	-	-	-	-	-	-	-	×	-	-	-
	TRYON POLARIZED	P 36	-	-	-	-	-	-	-	×	-	-	-
	CONTOUR POLARIZED	P 37	-	-	-	-	-	-	-	×	-	-	-
	HUSTLER	P 38	-	-	-	-	-	-	-	×	×	×	-
LIGHTNESS & COMFORT	SILEX+	P 39	×	-	-	-	-	×	-	-	-	×	+
	NESS+	P 40	×	-	-	-	-	×	-	-	-	×	+
	SILIUM+	P 41	×	-	-	-	-	×	-	-	-	×	+
	RUSH+	P 42	×	-	-	-	-	×	×	-	-	×	+
	RUSH+ SMALL	P 44	×	-	-	-	-	×	-	-	-	×	+
	RUSH+ GLOW	P 45	×	-	-	-	-	-	-	-	-	-	+
	COBRA	P 46	×	×	×	×	×	×	-	-	-	×	+
	IRI-s	P 48	×	-	-	-	-	-	×	-	-	×	+
	TRYON	P 49	×	-	-	-	-	×	-	-	×	×	+
	CONTOUR	P 50	×	-	-	-	×	×	-	-	-	×	+
HYBRIDS	BAXTER	P 51	×	-	-	-	-	×	-	-	-	×	+
	ULTIM8	P 52	×	-	-	-	-	-	-	-	-	-	+
	TRACKER II	P 53	×	-	-	×	-	-	-	-	-	×	+
	COBRA HYBRID	P 54	×	-	-	-	-	-	-	-	-	-	+
	RUSH+ ASSEMBLED	P 55	×	-	-	-	-	-	-	-	-	-	+
METAL	SILIUM	P 56	×	-	-	-	-	-	-	-	-	×	-
	CONTOUR METAL	P 57	×	-	-	-	×	-	-	-	-	×	-
SIMPLICITY & VERSATILITY	ILUKA	P 58	×	-	-	-	-	-	-	-	-	×	-
	SILEX	P 59	×	-	-	×	-	-	-	-	-	×	-
	RUSH	P 60	×	×	-	-	-	-	×	-	-	×	-
	AXIS	P 60	×	-	×	-	-	-	-	-	-	×	-
	NESS	P 61	×	-	-	-	-	-	-	-	-	×	-
	PRISM	P 61	×	-	-	-	-	-	-	-	-	×	-
	BANDIDO	P 62	×	-	-	×	-	-	-	-	-	×	-
	SLAM	P 62	×	-	-	×	×	-	-	-	-	×	-
	B808	P 63	×	-	-	-	-	-	-	-	-	-	+
	OVERLIGHT	P 64	×	-	-	-	-	-	-	-	-	-	-
OTG	SQUALE	P 64	×	-	-	-	-	-	-	-	-	-	-
	TRYON OTG	P 65	×	-	-	-	-	-	-	-	-	×	+

SUPPLIED ACCESSORIES	OPTIONAL ACCESSORIES
Microfibre pouch (Only for the MERPOL Ref.)	Retainer strap
Microfibre pouch	-
Microfibre pouch	Retainer strap
Microfibre pouch	-
Microfibre pouch	-
-	Retainer strap
-	Retainer strap
Microfibre pouch	-
-	Foam + strap kit / Retainer strap
-	Foam + strap kit / Retainer strap
-	Foam + strap kit / Retainer strap
Adjustable cord	-
Adjustable cord	Optical insert
-	Retainer strap
Microfibre pouch	-
-	Foam + strap kit
-	Retainer strap
Microfibre pouch	Optical insert
-	Foam + strap kit
Strap only	Foam + strap kit
-	-
Microfibre pouch	-
-	-
-	Retainer strap
Adjustable cord	Comfort foam
-	-
Adjustable cord	Retainer strap
Adjustable cord	-
Adjustable cord	-
Adjustable cord	-
-	-
-	-
Adjustable cord	-
-	-





# MERCURO

NEW

★ OUTDOOR USE & POLARIZED

A stylish, wrap-around frame combined with the best lens technologies for maximum comfort during all outdoor activities

- + Wide field of vision
- + No metal parts
- + Optional strap for more support

### Technologies

PLATINUM\* (\*P) CSP POLARIZED

32 g



AVAILABLE  
WITH CO-BRANDING

+ BI-MATERIAL TEMPLES  
FOR BETTER COMFORT

+ SPORTY DESIGN



+ NON-SLIP BRIDGE



MODEL	FRAME	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
MERCURO	Yellow/Black	Smoke	MERPSF	5-3.1 1 FT KN C€	EN166 FT C€	Anti-fog anti-scratch *P
	Grey/Black	CSP	MERCSP	5-1.4 1 FT KN C€	EN166 FT C€	Anti-fog anti-scratch *P
	Black/Grey	POLARIZED	MERPOL	5-3.1 1 FT C€	EN166 FT C€	AS
Accessories	Supplied with	Microfibre pouch*	ETUIFS	-	-	-
	Optional	Retainer strap	PSPRUS+-S01	-	-	-

\*Only for the MERPOL version

# BAXTER POLARIZED

NEW



OUTDOOR USE & POLARIZED

The BAXTER model is available in a polarized version, as spectacles or as hybrid model

- + Thin, flexible temples that adapt perfectly to other PPE equipment (ie. ear defenders)
- + Converts to a hybrid model using the foam + strap kit for better retention
- + Anti-scratch coating (inside lens)

## Technology

POLARIZED

28 g



AVAILABLE  
WITH CO-BRANDING



Available in clear, smoke and CSP versions, on page 51.

MODEL	FRAME	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>BAXTER POLARIZED</b>	Cobalt blue/Gunmetal	POLARIZED	BAXPOLWFS	5-3.1  1 FT CE	EN166 FT CE	AS
<b>Accessories</b>	Supplied with	Microfibre pouch	ETUIFS	-	-	-
	Optional	Foam + strap only kit	BAXKITFS	-	-	-



# TRYON POLARIZED

NEW

OUTDOOR USE & POLARIZED

The TRYON model's sporty design combined with the visual comfort of polarization

- + Bi-material temples for better comfort
- + FLEX 160° temples to adapt to all heads and reduce pressure points
- + Sporty design

Technology

POLARIZED



Asian Fit

26 g



AVAILABLE  
WITH CO-BRANDING

+ WRAP-AROUND FRAME



+ OPTIONAL STRAP  
FOR MORE RETENTION

+ FLEX!  
ULTRA-MODULAR, SHAPE-MEMORY BRIDGE  
TO ADAPT TO ALL FACES

Available in clear, CSP, smoke and blue flash versions, on page 49.

MODEL	FRAME	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
TRYON POLARIZED	Blue/Black	POLARIZED	TRYOPOL	5-3,1 1 FT K €€	EN166 FT €€	AS
Accessories	Supplied with	Microfibre pouch	ETUIFS	-	-	-
	Optional	Retainer strap	PSPRUS+-S01	-	-	-

# CONTOUR POLARIZED

★ OUTDOOR USE & POLARIZED

Comfortable and lightweight for extended outdoor use

- + Ultra-lightweight
- + Non-slip bridge
- + Thin TIPGRIP temples for better retention

## Technology

POLARIZED



Asian Fit

21 g



AVAILABLE  
WITH CO-BRANDING

+ WRAP-AROUND FRAME

+ SPORTY DESIGN



Available in clear, smoke, ESP and CSP versions, on page 50.

MODEL	FRAME	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>CONTOUR POLARIZED</b>	■ Gunmetal	● POLARIZED	CONTPOL	5-3.1 1 FT C€	EN166 FT C€	AS
<b>Accessory</b>	Supplied with	Microfibre pouch	ETUIFS	-	-	-



# HUSTLER

 **OUTDOOR USE & POLARIZED**

*Design at the service of protection, HUSTLER is the ideal model for outdoor offshore activities*

- + Flexible and wrap-around frame
- + Non-slip bridge
- + TIPGRIP non-slip temples

## Technology

POLARIZED

Available with  
prescription lenses

 **31 g**












**AVAILABLE  
WITH CO-BRANDING**

+ **STRAIGHT AND  
FLEXIBLE TEMPLES**

+ **SIDE SHIELDS**



MODEL	FRAME	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>HUSTLER</b>	■ Black	 Smoke	HUSTPSF	5-3.1  1 FT €€	 EN166 FT €€	AS/AF
	■ Black	 <b>POLARIZED</b>	HUSTPOL	5-3.1  1 FT €€	 EN166 FT €€	AS/AF
	■ Black	 Blue flash <b>POLARIZED</b>	HUSTFLASH	5-3.1  1 FT €€	 EN166 FT €€	AS/AF
<b>Accessory</b>	Supplied with	Microfibre pouch	ETUIFS	-	-	-

# SILEX+

NEW

LIGHTNESS & COMFORT

The model without compromise, in PLATINUM® version

- + Ultra wrap-around frame
- + Panoramic field of view
- + FLEX 160° temples to adapt to all heads and reduce pressure points

Technologies

PLATINUM® (P) CSP

30 g



AVAILABLE  
WITH CO-BRANDING

+ OPTIONAL STRAP  
FOR MORE RETENTION

+ COMFORTABLE BI-MATERIAL  
PC/TPR TEMPLES



MODEL	FRAME	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
SILEX+	Blue/Yellow	Clear	SILEXPPSI	2C-1.2 1 FT KN C€	EN166 FT C€	Anti-fog anti-scratch P
	Black/Yellow	Smoke	SILEXPPSF	5-3.1 1 FT KN C€	EN166 FT C€	Anti-fog anti-scratch P
	Grey/Black	CSP	SILEXPCSP	5-1.4 1 FT KN C€	EN166 FT C€	Anti-fog anti-scratch P
Accessory	Optional	Retainer strap	PSPRUS+-S01	-	-	-



# NESS+

NESS+ provides an unlimited field of vision thanks to its curved single lens

- + Ultra wrap-around frame for perfect protection
- + Bi-material temples for better comfort
- + Non-slip bridge

## Technologies

PLATINUM® (\*P)

CSP



Asian Fit

28 g

LIGHTNESS & COMFORT



AVAILABLE  
WITH CO-BRANDING

+ OPTIONAL STRAP  
FOR MORE RETENTION



MODEL	TEMPLES	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
NESS+	Orange/Black	Clear	NESSPPSI	2C-1.2 1 FT KN C€	EN166 FT C€	Anti-fog anti-scratch *P
	Orange/Black	Smoke	NESSPPSF	5-3.1 1 FT KN C€	EN166 FT C€	Anti-fog anti-scratch *P
	Orange/Black	CSP	NESSPCSP	5-1.4 1 FT KN C€	EN166 FT C€	Anti-fog anti-scratch *P
Accessory	Optional	Retainer strap	PSPRUS+-S01	-	-	-

# SILIUM+

**SILIUM+ combines style, ergonomics and performance for extended use**

- + Ultra-lightweight frame
- + All-round vision
- + Ultra thin temples that adapt perfectly to other PPE equipment (e.g. ear defenders)

## Technologies

PLATINUM® (\*P)

CSP

21 g

+ STRAIGHT, ULTRA FLEXIBLE ERGONOMIC BI-MATERIAL TEMPLES

+ ADJUSTABLE NON-SLIP BRIDGE

AVAILABLE  
WITH CO-BRANDING



MODEL	TEMPLES	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>SILIUM+</b>	■ Gunmetal	● Clear	SILPPSI	2C-1.2 ☙ 1 FT KN C€	☙ EN166 FT C€	Anti-fog anti-scratch *P
	■ Gunmetal	● Smoke	SILPPSF	5-3.1 ☙ 1 FT KN C€	☙ EN166 FT C€	Anti-fog anti-scratch *P
	■ Gunmetal	● CSP	SILPCSP	5-1.4 ☙ 1 FT KN C€	☙ EN166 FT C€	Anti-fog anti-scratch *P
<b>Accessory</b>	Supplied with	Microfibre pouch	ETUIFS	-	-	-



# RUSH+

*With a sporty design and bi-material temples, RUSH+ provides optimum eye safety and faultless comfort*

- + Bi-material, ultra-flexible coloured temples
- + 2 sizes available
- + Optional retainer strap and foam kit

## Technologies

PLATINUM® (P)

CSP

TWILIGHT



Asian Fit

26 g

AVAILABLE  
WITH CO-BRANDING



For indoor use: clear version



For indoor/outdoor use: CSP



For outdoor use: smoke version and TWILIGHT



MODEL	TEMPLES	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>RUSH+</b>	Red/Black	Clear	RUSHPPSI	2C-1.2 1 FT KN C€	EN166 FT C€	Anti-fog anti-scratch P
		Smoke	RUSHPPSF	5-3.1 1 FT KN C€	EN166 FT C€	Anti-fog anti-scratch P
	Grey/Black	TWILIGHT	RUSHPTWI	5-2 1 FT KN C€	EN166 FT C€	Anti-fog anti-scratch P
	Grey/Grey	CSP	RUSHPCSP	5-1.4 1 FT KN C€	EN166 FT C€	Anti-fog anti-scratch P
	Green/Black	Clear	RUSHPPSIG	2C-1.2 1 FT KN C€	EN166 FT C€	Anti-fog anti-scratch P
	Blue/Black	Clear	RUSHPPSIB	2C-1.2 1 FT KN C€	EN166 FT C€	Anti-fog anti-scratch P
	Yellow/Black	Clear	RUSHPPSIY	2C-1.2 1 FT KN C€	EN166 FT C€	Anti-fog anti-scratch P
		Smoke	RUSHPPSFY	5-3.1 1 FT KN C€	EN166 FT C€	Anti-fog anti-scratch P
	Orange/Black	Clear	RUSHPPSIO	2C-1.2 1 FT KN C€	EN166 FT C€	Anti-fog anti-scratch P
<b>Accessories</b>	Optional	Retainer strap	PSPRUS+-S01	-	-	-
	Optional	Foam + strap only kit	RUSHKITFS	-	-	-

Available in a clear version with built-in foam and strap, on page 55.



# RUSH+ SMALL

With its sporty design and bi-material temples  
RUSH+ SMALL is specially designed for narrow faces

- + Bi-material, ultra-flexible coloured temples
- + 2 sizes available
- + Optional strap for more support

Technologies

PLATINUM® (\*P) CSP



26 g



AVAILABLE  
WITH CO-BRANDING

+ UPPER PROTECTION



+ ADJUSTABLE NON-SLIP BRIDGE

For indoor use: clear version



For indoor/outdoor use: CSP



For outdoor use: smoke version



MODEL	TEMPLES	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
RUSH+ SMALL	White/Blue	Clear	RUSHPSPSI	2C-1.2 1 FT KN C€	EN166 FT C€	Anti-fog anti-scratch *P
	Grey/Pink	Clear	RUSHPSPSIS	2C-1.2 1 FT KN C€	EN166 FT C€	Anti-fog anti-scratch *P
	Grey/green	Smoke	RUSHPSPSFG	5-3.1 1 FT KN C€	EN166 FT C€	Anti-fog anti-scratch *P
	Grey/Yellow	Smoke	RUSHPSPSFL	5-3.1 1 FT KN C€	EN166 FT C€	Anti-fog anti-scratch *P
	Grey/Yellow	CSP	RUSHPSCSPL	5-1.4 1 FT KN C€	EN166 FT C€	Anti-fog anti-scratch *P
Accessories	Optional	Retainer strap	PSPRUS+-S01	-	-	-
	Optional	Foam + strap only kit	RUSHKITFS	-	-	-

# RUSH+ GLOW

LIGHTNESS & COMFORT

With their GLOW technology RUSH+ spectacles have phosphorescent temples to be seen in the dark

- + Ideal for night time work
- + Phosphorescent, ultra-pliable temples
- + Optional strap for more support

### Technology

PLATINUM® (P)



\*5 minutes under a light source

28 g



MODEL	TEMPLES	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>RUSH+ GLOW</b>	■ Phosph/Black	● Clear	RUSHPGLO	2C-1.2 1 FT KN C€	EN166 FT C€	Anti-fog anti-scratch P
<b>Accessories</b>	Optional	Retainer strap	PSPRUS+-S01	-	-	-
	Optional	Foam + strap only kit	RUSHKITFS	-	-	-



# COBRA

*A versatile best seller, COBRA provides all-round vision, wrap-around fit protection and optimum modularity*


- + 1 product = 2 uses (spectacles or goggles version)
- + Wide range of lens shades for multiple applications
- + Pivoting temples to adjust and improve protection

## Technologies

PLATINUM® (P) CSP HD CONTRAST ESP



Asian Fit



AVAILABLE  
WITH CO-BRANDING



For indoor use: clear version, HD and CONTRAST



For indoor/outdoor use: yellow version CSP and ESP



For outdoor use: smoke version



Available in kit (ref. KITCOBRA). More information on our [bolle-safety.com](http://bolle-safety.com) website

MODEL	TEMPLES	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>COBRA</b> temples version	■ Grey/Black	● Clear	COBPSI	2C-1.2 ☞ 1 BT KN C€	☞ EN166 FT C€	Anti-fog anti-scratch ☞
	■ Grey/Black	● Smoke	COBPSF	5-3,1 ☞ 1 BT KN C€	☞ EN166 FT C€	Anti-fog anti-scratch ☞
	■ Grey/Black	● CSP	COBCSP	5-1,4 ☞ 1 BT KN C€	☞ EN166 FT C€	Anti-fog anti-scratch ☞
	■ Grey/Black	● HD*	COBHDP	2C-1.2 ☞ 1 BT C€	☞ EN166 FT C€	Hydrophobic/AS (outside)/AF (inside)
	■ Grey/Black	● CONTRAST	COBCONT	5-1.1/1.4 ☞ 1 BT C€	☞ EN166 FT C€	AS (outside)/AF (inside)
	■ Grey/Black	● ESP	COBESP	5-1.4 ☞ 1 BT C€	☞ EN166 FT C€	AS (outside)/AF (inside)
	■ Grey/Black	● Yellow	COBPSJ	2C-1.2 ☞ 1 BT C€	☞ EN166 FT C€	AS/AF
<b>Spare lens</b>	-	● Clear	OCCOBPSI	2C-1.2 ☞ 1 BT C€	-	AS/AF
<b>Accessory</b>	Supplied with	Adjustable cord	CORDC	-	-	-

\*Supplied with microfibre pouch Ref. ETUIFS



# IRI-s

LIGHTNESS & COMFORT

Because every face is unique, Bollé Safety has developed IRI-s which is infinitely adaptable to every person

- + 1 model 1 size = fits all
- + Multiple uses: several shades
- + 4 dioptries available: 1.5 / 2 / 2.5 / 3

### Technologies

PLATINUM® (P) TWILIGHT



Asian Fit

28 g



+ **ERGONOMIC, PIVOTING BI-MATERIAL TEMPLES FOR BETTER PROTECTION**



+ **FLEX: ULTRA-MODULAR, SHAPE-MEMORY BRIDGE TO ADAPT TO ALL FACES**



MODEL	TEMPLES	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
IRI-S	Red/Black	Clear	IRIPSI	2C-1.2 1 FT KN C€	EN166 FT C€	Anti-fog anti-scratch P
	Red/Black	Smoke	IRIPSF	5-3.1 1 FT KN C€	EN166 FT C€	Anti-fog anti-scratch P
	Grey/Black	TWILIGHT	IRITWI	5-2 1 FT KN C€	EN166 FT C€	Anti-fog anti-scratch P
	Red/Black	Dioptre + 1.5	IRIDPSI1.5	2C-1.2 1 FT C€	EN166 FT C€	AS/AF
	Red/Black	Dioptre + 2	IRIDPSI2	2C-1.2 1 FT C€	EN166 FT C€	AS/AF
	Red/Black	Dioptre + 2.5	IRIDPSI2.5	2C-1.2 1 FT C€	EN166 FT C€	AS/AF
	Red/Black	Dioptre + 3	IRIDPSI3	2C-1.2 1 FT C€	EN166 FT C€	AS/AF
Accessories	Supplied with	Adjustable cord	CORDC	-	-	-
	Optional	Optical insert	IRISRXKIT	-	-	-

# TRYON

LIGHTNESS & COMFORT

Ultra wrap-around fit and sporty line, TRYON perfectly combines style and absolute protection

- + Bi-material temples for better comfort
- + FLEX 160° temples to adapt to all heads and reduce pressure points
- + TRYON is available in 3 versions (safety spectacles, prescription spectacles and OTG)

Technologies

PLATINUM® (\*P) CSP POLARIZED

✓ Available with prescription lenses  
Asian Fit

26 g



AVAILABLE WITH CO-BRANDING

+ OPTIONAL STRAP FOR MORE SUPPORT



+ FLEX: ULTRA-MODULAR, SHAPE-MEMORY BRIDGE TO ADAPT TO ALL FACES



Available in POLARIZED version, on page 36.

MODEL	FRAME	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
TRYON	Blue/Black	Clear	TRYOPSI	2C-1.2 1 FT KN C€	EN166 FT C€	Anti-fog anti-scratch *P
	Blue/Black	Smoke	TRYOPSF	5-3.1 1 FT KN C€	EN166 FT C€	Anti-fog anti-scratch *P
	Blue/Black	POLARIZED	TRYOPOL	5-3.1 1 FT K C€	EN166 FT C€	AS
	Blue/Black	CSP	TRYOCSP	5-1.4 1 FT KN C€	EN166 FT C€	Anti-fog anti-scratch *P
	Blue/Black	Blue flash	TRYOFASH	5-3.1 1 FT C€	EN166 FT C€	AS/AF (indoor)
Accessory	Optional	Retainer strap	PSPRUS+-S01	-	-	-



# CONTOUR

21 g of power: solidity, protection, design, comfort and lightness...

- + Ultra-lightweight
- + Non-slip bridge
- + Thin TIPGRIP temples for better support

### Technologies

PLATINUM® (\*P) CSP ESP POLARIZED



Asian Fit

21 g



AVAILABLE  
WITH CO-BRANDING



Available in **POLARIZED** version, on page 37.

MODEL	FRAME	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>CONTOUR</b>	Bronze	Clear	CONTPSI	2C-1.2 1 FT KN CE	EN166 FT CE	Anti-fog anti-scratch *P
	Gunmetal	Smoke	CONTPSF	5-2.5 1 FT KN CE	EN166 FT CE	Anti-fog anti-scratch *P
	Gunmetal	<b>POLARIZED</b>	CONTPOL	5-3.1 1 FT CE	EN166 FT CE	AS
	Gunmetal	<b>CSP</b> <b>NEW</b>	PSSCONT-C10	5-1.4 1 FT KN CE	EN166 FT CE	Anti-fog anti-scratch *P
	Gunmetal	<b>ESP</b>	CONTESP	5-1.4 1 FT CE	EN166 FT CE	AS
<b>Accessory</b>	Supplied with	Microfibre pouch	ETUIFS	-	-	-

# BAXTER

**Equipped with an ingenious attachment system, BAXTER provides absolute cover and comfort**

- + Sealed frame with comfort foam
- + Wrap-around frame
- + High impact resistance (type B: 120m/s)

## Technologies

PLATINUM® (\*P) CSP POLARIZED

Available with  
prescription lenses

53 g



AVAILABLE  
WITH CO-BRANDING

+ FOAM REINFORCEMENT AND REMOVABLE STRAP



+ INCREASED PROTECTION



Available in POLARIZED version (without foam or strap), on page 35.

MODEL	FRAME	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>BAXTER</b>	Blue/Gunmetal	Clear	BAXPSI	2C-1.2 ☙ 1 BT KN C€	☙ EN166 FT FT (spectacles)	Anti-fog anti-scratch *P
	Blue/Gunmetal	Smoke	BAXPSF	5-3,1 ☙ 1 BT KN C€	☙ EN166 3 4 5 BT CE	Anti-fog anti-scratch *P
	Blue/Gunmetal	CSP	BAXCSP	5-1,4 ☙ 1 BT KN C€	(with foam + strap)	Anti-fog anti-scratch *P
<b>Accessory</b>	Optional	Foam + strap only kit	BAXKITFS	-	-	-



# ULTIM8

HYBRIDS

*The hybrid model that provides the ultimate protection in the most extreme working environments*

- + Sealed bi-material frame
- + Assembled with a spectacles/goggles conversion kit: increases impact resistance (type B: 120m/s)
- + Removable and adjustable strap

## Technology

PLATINUM<sup>®</sup> (\*P)



Available in version  
Asian Fit

64 g



AVAILABLE  
WITH CO-BRANDING



+ PIVOTING TEMPLES TO ADJUST  
AND IMPROVE PROTECTION

+ REINFORCED FULL FRAME

+ SPORTY DESIGN



MODEL	FRAME	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>ULTIM8</b>	Red/Black	Clear	ULTIPSI	2C-1.2 1 BT KN C€	EN166 FT C€	Anti-fog anti-scratch *P
<b>Accessory</b>	Optional	Retainer strap	PSPRUS+-S01	-	-	-

# TRACKER II

Ultra-comfortable and technical, TRACKER protects from all mechanical and chemical risks

- + Vented frame
- + High impact resistance (type B: 120m/s)
- + Upper protection

Technology

PLATINUM® (\*P)

Available with prescription lenses

52 g



+ TIPGRIP TEMPLES

+ INDIRECT VENTILATION



+ REMOVABLE FOAM REINFORCEMENT AND STRAP



Available in welding shades, on page 92.

MODEL	FRAME	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
TRACKER II	■ Grey/Black	● Clear	TRACPSI	2C-1.2 ☞ 1 BT KN C€	☞ EN166 FT C€	Anti-fog anti-scratch *P
	■ Grey/Black	● Smoke	TRACPSF	5-2,5 ☞ 1 BT KN C€	☞ EN166 FT C€	Anti-fog anti-scratch *P
	■ Grey/Black	● Yellow	TRACPSJ	5-1,4 ☞ 1 BT KN C€	☞ EN166 FT C€	Anti-fog anti-scratch *P
Accessories	Supplied with	Microfibre pouch	ETUIFS	-	-	-
	Optional	Optical insert	SOSTRACKER	-	-	-



# COBRA HYBRID

The 2-in-1 COBRA model is available with built-in comfort foam, as spectacles or goggles, it adapts to all environments

- + Increased protection
- + Hybrid model : spectacles version or goggle version
- + Pivoting temples to adjust and improve protection

Technology

PLATINUM® (P)



Asian Fit

37 g



AVAILABLE  
WITH CO-BRANDING

+ ALL ROUND VISION SINGLE LENS







+ UPPER PROTECTION



+ COMFORT FOAM

+ NON-SLIP BRIDGE



MODEL	-	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>COBRA HYBRID</b>	Foam + temples version	 Clear	COBFTPSI	2C-1.2  1 BT KN C€	 EN166 FT C€	Anti-fog anti-scratch P
	Foam + strap version	 Clear	COBFSPSI	2C-1.2  1 BT KN C€	 EN166 3 BT C€	Anti-fog anti-scratch P
<b>Accessory</b>	As a replacement option	Foam + strap only kit	KITFSCOB	-	-	-

# RUSH+ ASSEMBLED

Reinforced protection of the RUSH+ model assembled with the foam and strap kit included

- + Increased protection
- + Adjustable non-slip bridge
- + Bi-material, ultra-flexible temples

Technology

PLATINUM® (\*P)

46 g



AVAILABLE  
WITH CO-BRANDING



+ RETAINER STRAP  
(INCLUDED)

+ COMFORT FOAM  
(INCLUDED)

MODEL	TEMPLES	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>RUSH+ ASSEMBLED</b> with foam + strap	Red/Black	Clear	RUSHPFSPSI	2C-1.2 1 FT KN C€	EN166 FT C€	Anti-fog anti-scratch *P
Accessory	As a replacement option	Foam + strap only kit	RUSHKITFS	-	-	-



# SILIUM

METAL

The pure lines of SILIUM combine technology, ergonomics and style while providing the strength of a metal frame

- + Increased upper protection
- + Adjustable non-slip bridge
- + FLEX 160° temples to adapt to all heads and reduce pressure points



Asian Fit

34



+ WRAP-AROUND FRAME

+ TIPGRIP TEMPLES



MODEL	FRAME	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>SILIUM</b>	■ Metal	● Clear	SILPSI	2C-1.2 1 FT C€	EN166 FT C€	AS/AF
	■ Metal	● Smoke	SILPSF	5-2.5 1 FT C€	EN166 FT C€	AS/AF

# CONTOUR METAL

METAL

*Its wrap-around design combined with the strength of metal guarantees optimum comfort*

- + Increased upper protection with comfort foam
- + Adjustable non-slip bridge
- + FLEX 160° temples to adapt to all heads and reduce pressure points

## Technology

ESP

38 g



+ TIPGRIP TEMPLES

+ WRAP-AROUND FRAME WITH GUNMETAL FINISH



+ COMFORT FOAM



MODEL	FRAME	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>CONTOUR METAL</b>	■ Gunmetal	● Clear	CONTMPSI	2C-1.2 ☰ 1 FT C€	☰ EN166 FT C€	AS/AF
	■ Gunmetal	● ESP	CONTMESP	5-1.4 ☰ 1 FT C€	☰ EN166 FT C€	AS
	■ Gunmetal	● Smoke	CONTMPSF	5-3.1 ☰ 1 FT C€	☰ EN166 FT C€	AS/AF
<b>Accessory</b>	Supplied with	Microfibre pouch	ETUIFS	-	-	-



# ILUKA

NEW

SIMPLICITY & VERSATILITY

Thin, lightweight and ultra wrap-around fit, ILUKA is adapted to thin and narrow faces

- + Adapted to thin faces
- + Bi-material temples for better comfort
- + Ultra thin temples that adapt perfectly to other PPE equipment (e.g. ear defenders)



22 g



MODEL	TEMPLES	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
ILUKA	Blue/Clear	Clear	ILUPSI	2C-1.2 1 FT CE	EN166 FT CE	AS/AF
	Grey/Black	Smoke	ILUPSF	5-3.1 1 FT CE	EN166 FT CE	AS/AF

# SILEX

NEW

SIMPLICITY & VERSATILITY

*The model without compromise. SILEX offers all-round vision, ultra wrap-around protection, coloured and stylish temples signed Bollé Safety*


- + FLEX 160° temples to adapt to all heads and reduce pressure points
- + No metal parts
- + Sporty design

30 g



+ LARGE UPPER COVER

+ BI-MATERIAL TEMPLES FOR BETTER SUPPORT AND OPTIMUM COMFORT



+ PANORAMIC FIELD OF VIEW



MODEL	TEMPLES	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>SILEX</b>	Dark blue/Sky blue	Clear	SILEXPSI	2C-1.2 1 FT €	EN166 FT €	AS/AF
	Clear grey/Yellow	Smoke	SILEXPSF	5-3.1 1 FT €	EN166 FT €	AS/AF
	Clear yellow/Black	Yellow	SILEXPSJ	2C-1.2 1 FT €	EN166 FT €	AS/AF
<b>Accessory</b>	Optional	Retainer strap	PSPRUS+-S01	-	-	-



# RUSH

SIMPLICITY & VERSATILITY

The all-round vision and lightweight RUSH model offers perfect optical quality, permanent comfort and a modern design

- + Upper protection
- + Non-slip temples
- + Adjustable non-slip bridge

Technologies

HD TWILIGHT



MODEL	TEMPLES	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
RUSH	Clear	Clear	RUSHPSI	2C-1.2 1 FT €	EN166 FT €	AS/AF
	HD	HD	RUSHDPI	2C-1.2 1 FT €	EN166 FT €	Hydrophobic/AS (outside)/AF (inside)
	Twilight	TWILIGHT	RUSHTWI	5-2 1 FT €	EN166 FT €	AS/AF
	Smoke	Smoke	RUSHPSF	5-3.1 1 FT €	EN166 FT €	AS/AF
Accessories	Supplied with	Adjustable cord	CORDC	-	-	-
	Optional	Comfort foam	RUSHKITFS	-	-	-

# AXIS

The AXIS model provides protection adapted to every user thanks to its universal design

- + Ultra wrap-around frame for perfect protection
- + Ergonomic temples for optimum comfort
- + Increased upper protection and bridge


Technology

CONTRAST



Asian Fit

27 g



MODEL	TEMPLES	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
AXIS	Grey/Black	Clear	AXPSI	2-1.2 1 FT €	EN166 FT €	AS/AF
	Grey/Black	CONTRAST	AXCONT	5-1,1/1,4 1 FT €	EN166 FT €	AS/AF
	Grey/Black	Smoke	AXPSF	5-2.5 1 FT €	EN166 FT €	AS/AF

# NESS

Thanks to its ultra-curved single lens, NESS provides an extra-wide field of vision

- + Ultra wrap-around frame for perfect protection
- + Non-slip bridge
- + Thin temples that adapt perfectly to other PPE equipment (e.g. ear defenders)



Asian Fit

28 g

+ OPTIONAL STRAP FOR MORE SUPPORT



MODEL	TEMPLES	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>NESS</b>	■ Black	● Clear	NESSPSI	2C-1.2 1 FT €€	EN166 FT €€	AS/AF
	■ Black	● Smoke	NESSPSF	5-3.1 1 FT €€	EN166 FT €€	AS/AF
<b>Accessories</b>	Supplied with	Adjustable cord	CORDC	-	-	-
	Optional	Retainer strap	PSPRUS+-S01	-	-	-

# PRISM

The PRISM model provides superior protection and offers excellent value for money.

- + Lightweight frame
- + No metal parts
- + Adapted to the food-processing industry

23 g

+ UPPER PROTECTION

+ COMFORTABLE, STRAIGHT TEMPLES



MODEL	TEMPLES	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>PRISM</b>	■ Black	● Clear	PRIPSI	2C-1.2 1 FT €€	EN166 FT €€	AS/AF
	■ Black	● Smoke	PRIPSF	5-2.5 1 FT €€	EN166 FT €€	AS/AF
<b>Accessory</b>	Supplied with	Adjustable cord	-	-	-	-



# BANDIDO

An inexpensive model for genuine protection

- + Wrap-around frame
- + Reinforced bridge



28 g



Available in welding shades, on page 92.

MODEL	TEMPLES	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>BANDIDO</b>	Clear	Clear	BANCI	2C-1.2 1 FT C€	EN166 FT C€	AS/AF
	Yellow	Yellow	BANPSJ	2C-1.2 1 FT C€	EN166 FT C€	AS/AF
	Smoke	Smoke	BANPSF	5-2.5 1 FT C€	EN166 FT C€	AS/AF
<b>Accessory</b>	Supplied with	Adjustable cord	-	-	-	-

# SLAM

Stylish and ergonomic, SLAM protects in all situations

- + Ultra wrap-around fit
- + All-round field of vision
- + Wide range of lens shades for multiple applications

Technology  
ESP



23 g



+ THIN TEMPLES THAT ADAPT PERFECTLY TO OTHER PPE EQUIPMENT (E.G. EAR DEFENDERS)

Available in welding shades, on page 92.

MODEL	TEMPLES	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>SLAM</b>	Black	Clear	SLAPSI	2C-1.2 1 FT C€	EN166 FT C€	AS/AF
	Black	Yellow	SLAPSJ	2C-1.2 1 FT C€	EN166 FT C€	AS/AF
	Black	ESP	SLAESP	5-1.4 1 FT C€	EN166 FT C€	AS
	Black	Smoke	SLAPSF	5-3.1 1 FT C€	EN166 FT C€	AS/AF
<b>Accessory</b>	Supplied with	Adjustable cord	-	-	-	-

# B808

SIMPLICITY & VERSATILITY

Protective and lightweight

- + Wrap-around frame
- + No metal parts
- + Timeless style

Technology

PLATINUM® (P)

Available with  
prescription lenses

28 g




MODEL	FRAME	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
B808	■ Black	● Clear	B808BLPSI	2C-1.2 1 FT KN C€	EN166 FT C€	Anti-fog anti-scratch P



# OVERLIGHT





Compact and attractive, OVERLIGHT guarantees maximum safety for all, including prescription spectacles

- + 2 uses: spectacles and/or OTG
- + Ultra wrap-around frame for perfect protection
- + No metal parts



33 g




MODEL	TEMPLES	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
OVERLIGHT	 Clear	 Clear	OVLITLPSI	2C-1.2  1 FT C€	 EN166 FT C€	AS/AF





# SQUALE

Cost effective and compatible with most prescription spectacles

- + Adjustable
- + Side shields
- + Wide frame



Available in welding shade 5, on page 92.

MODEL	TEMPLES	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
SQUALE	 Black	 Clear	SQUPSI	2C-1.2  1 FT C€	 EN166 FT C€	AS/AF
Accessory	Supplied with	Adjustable cord	-	-	-	-

# TRYON OTG

OTG

**TRYON OTG, the PREMIUM version of OTG providing maximum cover and comfort**

- + Bi-material, adjustable and stretchable temples
- + Flexible front protection
- + Curved tips inside each temple providing comfort, stability and perfect support on the face

### Technology

PLATINUM® (P)



OTG



Asian Fit

40 g



MODEL	FRAME	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
TRYON OTG	Blue/Black	Clear	TRYOTGPSI	2C-1.2 1 FT KN C€	EN166 FT C€	Anti-fog anti-scratch P
	Blue/Black	Smoke	TRYOTGPSF	5-3.1 1 FT KN C€	EN166 FT C€	Anti-fog anti-scratch P































# **GOGGLES**

*To meet the requirements of different working environments, our range of protection goggles provides technicity adapted to each application to cover risks while maintaining comfort.*

# SELECTION GUIDE

## GOGGLES

	MODELS	PAGES	REFERENCES	VENTILATION				 PLATINUM®	FRAME	FOAM	STRAP
					Clear	CSP	Smoke				
ALL-ROUND VISION	180	P 69	180APSI	Indirect	✗	-	-		TPR	-	Nylon
	SUPERBLAST	P 70	SUPBLAPSI	Indirect	✗	-	-	AS/AF	PVC	-	Nylon
			SUPBLEPSI	Sealed	✗	-	-	AS/AF	PVC	-	Nylon
			SUPBLFAPSI	Indirect	✗	-	-	AS/AF	PVC	SBR	Nylon
			SUPBLAPSIP	Indirect	✗	-	-		PVC	-	Nylon
	PILOT	P 72	PILOPSI	Indirect	✗	-	-		TPR/PP	-	Nylon
			PILOPSF	Indirect	-	-	✗		TPR/PP	-	Nylon
			PILOCSP	Indirect	-	✗	-		TPR/PP	-	Nylon
	PILOT NEO	P 72	PSFPIL2-L16	Indirect	✗	-	-		TPR/PP	-	Neoprene
			PSFPIL2-L17	Indirect	-	✗	-		TPR/PP	-	Neoprene
	BLAST	P 73	BLAPSI	Indirect	✗	-	-	AS/AF	PVC	-	Nylon
			BLEPSI	Sealed	✗	-	-	AS/AF	PVC	-	Nylon
			BLFAPSI	Indirect	✗	-	-	AS/AF	PVC	SBR	Nylon
			BLARSI	Indirect	✗ (Acetate)	-	-	AF	PVC	-	Nylon
	COVERALL	P 74	COVARSI	Indirect	✗	-	-	AS/AF	-	-	Nylon
			COVERSI	Sealed	✗	-	-		PVC	-	Nylon
COMPACT GOGGLES	ATOM	P 75	ATOAPSI	Indirect	✗	-	-		TPR	-	Nylon
			ATOFAPSI	Indirect	✗	-	-		TPR	SBR	Nylon
			ATOEPSI	Sealed	✗	-	-		TPR	-	Nylon
	COBRA TPR	P 76	COBTPRPSI	Sealed	✗	-	-		TPR	-	Isoprene
	ULTIM8	P 77	ULTIPSI	Sealed	✗	-	-		TPR	-	Nylon
SPECIAL CLEAN ROOM	SUPERBLAST AUTOCLAVE	P 78	SUPBLCLAVE	Indirect	✗	-	-		TPR	-	Isoprene
			SUPBLCLAV2	Direct	✗	-	-		TPR	-	Isoprene
			SUPBLCLAV3	Direct	✗	-	-		TPV	-	Isoprene
	COVERALL CLEAN	P 79	COVACLEAN	Indirect	✗	-	-	AS/AF	PVC	-	Isoprene
	COVERALL AUTOCLAVE	P 79	COVACLAVE	Indirect	✗	-	-		TPR	-	Isoprene
SPECIAL FIREFIGHTER	PILOT FIREFIGHTER	P 80	PILOFCSP	Sealed	-	✗	-		TPR	-	Fire-proof nylon
	CHRONOSOFT	P 81	CHROKADESI	Sealed	✗	-	-	AS/AF	TPE	-	Fire-proof nylon



180

ALL-ROUND VISION

180 degree all-round vision

- + Bi-material frame for better comfort
- + Possible to wear a half-mask respirator
- + Indirect vented

Technology

PLATINUM® (\*P)



OTG

109 g



AVAILABLE  
WITH CO-BRANDING



+ ADJUSTABLE STRAP  
WITH PIVOTING BUCKLE

MODEL	FRAME	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
180	Clear	Vented	180APSI	2C-1.2 1 BT KN C€	EN166 3 4 BT C€	Anti-fog anti-scratch *P



# SUPERBLAST

## Comfort and modularity

- ✦ Flexible and clear frame for increased comfort
- ✦ Wide choice of frame types for all applications
- ✦ Intuitive and simple goggle-visor assembly system

## Technology

PLATINUM® (\*P)



OTG

111 g





Available in welding shades, on page 92.

MODEL	FRAME	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
SUPERBLAST	Blue	Vented	SUPBLAPSI	2C-1.2 1 9 BT C€	EN166 3 4 9 BT C€	AS/AF
	Blue	Sealed	SUPBLEPSI	2C-1.2 1 9 BT C€	EN166 3 4 5 9 BT C€	AS/AF
	Blue	Vented + foam	SUPBLFAPSI	2C-1.2 1 9 BT C€	EN166 3 4 9 BT C€	AS/AF
	Blue	Vented	SUPBLAPSIP	2C-1.2 1 9 BT KN C€	EN166 3 4 9 BT C€	Anti-fog anti-scratch P
	-	Spare lens	SUPFABLAPSIP	2C-1.2 1 9 BT KN C€	-	Anti-fog anti-scratch P
	Blue	Visor only for SUPERBLAST	SUPBLV	-	EN166 3 BT C€	-
Accessory	Optional	Optical insert	SOSBLAST	-	-	-

# PILOT

ALL-ROUND VISION

Total protection both inside and outside

- + 3 versions to cover all needs, indoor and/or outdoor use
- + Design with an excellent field of vision
- + Bi-material frame for better comfort

### Technologies

PLATINUM® (\*P)

CSP



Asian Fit



OTG

89 g



AVAILABLE  
WITH CO-BRANDING

+ ADJUSTABLE STRAP  
WITH PIVOTING BUCKLE

+ INDIRECT VENTED



NEW

+ MODEL AVAILABLE  
WITH A NEOPRENE  
STRAP (PILOT NEO)



MODEL	FRAME	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
PILOT	Clear	Vented	PILOPSI	2C-1.2 1 BT 9 KN C€	EN166 3 4 9 BT C€	Anti-fog anti-scratch *P
	Smoke	Vented	PILOPSF	5-3.1 1 BT 9 KN C€	EN166 3 4 9 BT C€	Anti-fog anti-scratch *P
	CSP	Vented	PILOCSP	5-1.4 1 BT 9 KN C€	EN166 3 4 9 BT C€	Anti-fog anti-scratch *P
NEW PILOT NEO	Clear	Vented	PSFPIL2-L16	2C-1.2 1 BT KN C€	EN166 3 4 BT C€	Anti-fog anti-scratch *P
	CSP	Vented	PSFPIL2-L17	5-1,4 1 BT KN C€	EN166 3 4 BT C€	Anti-fog anti-scratch *P



# BLAST

ALL-ROUND VISION

## Exceptional field of vision

- + Panoramic field of view
- + Wide choice of frame types for all applications
- + Possible to wear a half-mask respirator



OTG

113 g



+ LIQUID OVERFLOW CHUTE

+ ADJUSTABLE STRAP WITH PIVOTING BUCKLE

+ AVAILABLE WITH FOAM FOR INCREASED COMFORT (DEPENDENT ON THE FRAME)



MODEL	FRAME	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>BLAST</b>	Blue	Vented	BLAPSI	2-1.2 1 BT 9 C €	EN166 3 9 BT C €	AS/AF
	Blue	Sealed	BLEPSI	2-1.2 1 BT 9 C €	EN166 3 4 5 9 BT C €	AS/AF
	Blue	Vented + foam	BLFAPSI	2-1.2 1 BT 9 C €	EN166 3 9 BT C €	AS/AF
	Blue	Visor for BLAST only	BLV	-	EN166 3 BT C €	-
<b>Accessory</b>	Optional	Optical insert	SOSBLAST	-	-	-

# COVERALL

ALL-ROUND VISION

## Versatile and effective

- + Available in 2 versions: vented and sealed
- + Economical and effective
- + Comfortable, flexible frame

### Technology

PLATINUM® (P)



OTG

91 g



MODEL	FRAME	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
COVERALL	Clear	Vented	COVARSI	2C-1.2 1 BT C€	EN166 3 4 BT C€	AS/AF
	Clear	Sealed	COVERSI	2C-1.2 1 BT KN C€	EN166 3 4 5 BT C€	Anti-fog anti-scratch P



Ultra-compact and ultra-comfortable

- + Ultra lightweight and compact goggles (the lightest in the range)
- + Comfortable and flexible frame
- + Wide choice of frame types for all applications

Technology

PLATINUM® (P)



OTG

74 g



- + INDIRECT VENTED ON ATOASPI AND ATOFAPSI
- + SEALED ON ATOEPSI

- + ADJUSTABLE STRAP WITH PIVOTING BUCKLE

- + AVAILABLE WITH FOAM FOR INCREASED COMFORT (DEPENDING ON THE FRAME)

Mask + visor assembly (option)



MODEL	FRAME	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
ATOM	Blue	Vented	ATOAPSI	2C-1.2 1 BT KN C€	EN166 3 BT C€	Anti-fog anti-scratch P
	Blue	Vented + foam	ATOFAPSI	2C-1.2 1 BT KN C€	EN166 3 BT C€	Anti-fog anti-scratch P
	Blue	Sealed	ATOEPSI	2C-1.2 1 BT KN C€	EN166 3 4 5 BT C€	Anti-fog anti-scratch P
	Blue	Visor for ATOM only	ATOV	-	EN166 3 BT C€	-
Accessory	Optional	Optical insert	SOSATOM	-	-	-

# COBRA TPR

COMPACT GOGGLES

*Ideal design combining lightness and technicity  
for clean environments and extreme conditions*

- + Hybrid, ultra-lightweight and compact model
- + Sealed joint, flexible and comfortable
- + Ideal for petrochemical environments

## Technology

PLATINUM® (P)



Asian Fit

48 g



AVAILABLE  
WITH CO-BRANDING

+ ADJUSTABLE ISOPRENE STRAP

+ ALL ROUND VISION SINGLE LENS



+ INCREASED PROTECTION

MODEL	FRAME	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>COBRA TPR</b>	■ Clear	● Clear	COBTPRPSI	2C-1.2 1 BT KN C€	EN166 345 BT C€	Anti-fog anti-scratch P



# ULTIM8

## COMPACT GOGGLES

*The hybrid model that provides the ultimate protection in the most extreme working environments*

- + Sealed, bi-material frame for improved protection and comfort
- + Assembled with the spectacles/goggles conversion kit: increases impact resistance (type B: 120m/s)
- + Compact and ultra-strong hybrid model

### Technology

PLATINUM<sup>®</sup> (P)



Asian Fit

60 g



AVAILABLE  
WITH CO-BRANDING



MODEL	FRAME	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
ULTIM8	Red/Black	Sealed	ULTIPSI	2C-1.2 1 BT KN C€	EN166 FT C€ (with temples) EN166 3 4 5 BT C€ (with strap)	Anti-fog anti-scratch P

# SUPERBLAST AUTOCLAVE

SPECIAL FOR "CLEAN ROOMS"

The **SUPERBLAST AUTOCLAVE** range was specially developed and designed to meet requirements in grade A, B, C and D clean rooms in sterile and non-sterile conditions

- + Wide field of vision
- + Autoclave compatible product
- + Possible to wear a half-mask respirator

### Technology

PLATINUM® (P)



OTG

103 g



Check the technical data sheet for more information - Study on request.


MODEL	FRAME	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>SUPERBLAST AUTOCLAVE</b>	Clear TPR	Indirect vented	SUPBLCLAVE	2C-1.2 1 BT KN €€	EN166 3 4 BT €€	Anti-fog anti-scratch P
	<b>NEW</b> Clear TPR	Direct vented	SUPBLCLAV2	2C-1.2 1 BT KN €€	EN166 BT €€	Anti-fog anti-scratch P
	<b>NEW</b> White TPV	Direct vented	SUPBLCLAV3	2C-1.2 1 BT KN €€	EN166 BT €€	Anti-fog anti-scratch P



# COVERALL CLEAN

Versatile goggles for clean room environments

- + Can be sterilised using gamma, beta and Eto radiation
- + Disposable
- + Liquid overflow chute



MODEL	FRAME	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
COVERALL CLEAN	Clear PVC	Vented	COVACLEAN	2C-1.2 1 BT €€	EN166 3 4 BT €€	AS/AF

# COVERALL AUTOCLAVE

Versatile goggles for clean room environments

- + High fogging resistance
- + Autoclave compatible product
- + Liquid overflow chute

Technology

PLATINUM® (P)



MODEL	FRAME	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
COVERALL AUTOCLAVE	Clear TPR	Semi-vented	COVACLAVE	2C-1.2 1 FT KN €€	EN166 3 4 FT €€	Anti-fog anti-scratch P

# PILOT FIREFIGHTER

FIREFIGHTER SPECIAL

High requirements at the service of civil protection

- + Flexible and sealed frame
- + Adjustable fireproof strap
- + Design with an excellent field of vision

Technologies

PLATINUM® (P) CSP



OTG

92 g



MODEL	FRAME	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
PILOT FIREFIGHTER	Red/Black	CSP sealed	PILOFCSP	5-1.4 1 BT 9 KN C€	EN166 3 4 5 9 BT C€	Anti-fog anti-scratch P



# CHRONOSOFT

FIREFIGHTER SPECIAL

Designed for exposure to extreme heat

- + Elastomer frame that withstands extreme heat
- + Double-lens for increased protection from fire, fogging and all extreme conditions
- + Wide, adjustable fireproof strap

Technology

EQUALIZER



OTG

125 g



+ WIDE FIELD OF VISION

+ EQUALIZER : HUMIDITY LEVEL REGULATION TAB



MODEL	FRAME	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
CHRONOSOFT	■ Black	● Sealed	CHROKADESI	2C-1.2 1 BT 9 KN C€	EN166 3 4 5 BT 9 C€	Anti-scratch (K)/Anti-fog (N)





DOUCHE DE SECURITE





# ***SAFETY FACE SHIELDS***

*As eye protection experts, we also provide safety face shield solutions to work safely and protect the entire face from hazardous sprays.*

# SPHERE

Ultra wrap-around fit, SPHERE adapts to all morphologies for all uses in an abrasive environment

- + Protection against electrical short circuit arcs
- + 20.5 x 39.4 cm PC shield
- + Resistant to high energy impact (A marking)

355 g








+ EXCEPTIONAL  
180° FIELD OF VISION

+ ADJUSTABLE HEADGEAR

+ TILTING SHIELD



MODEL	HEADGEAR	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>SPHERE</b>	■ Black	 Polycarbonate	SPHERPI	2C-1.2  1 AT 8 9 C€	 EN166 3 AT 8 9 C€	-
	-	 Spare lens	FASPHERPI	2C-1.2  1 AT 8 9 C€	-	-
<b>Accessory</b>	Optional	Protective bag	BAGWELD	-	-	-



# TILTING SHIELD

*The tilting shield provides complete head and face protection, available with an acetate shield*

- + Protection against electrical short circuit arcs (RELRSI version)
- + 19 x 29 cm tilting shield
- + Anti-fog coating depending on the version




200 g

+ POLYPROPYLENE HEADGEAR

+ TILTING SHIELD

+ ADJUSTABLE HEADBAND



MODEL	HEADGEAR	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>TILTING SHIELD</b>	Yellow	Acetate	RELRSI	2-1.2 ☞ 2 B 8 N C ☞	☞ EN166 3 B 8 C ☞	Anti-fog (N)
	-	Spare acetate lens	FARELRSI	2-1.2 ☞ 2 B 8 N C ☞	-	Anti-fog (N)
	Yellow	Polycarbonate	RELPSI	☞ 1 F C ☞	☞ EN166 3 B 8 C ☞	AS/AF
	-	Spare polycarbonate lens	FARELPSI	☞ 1 F C ☞	-	AS/AF
<b>Accessory</b>	Optional	Protective bag	BAGWELD	-	-	-









# **WELDING**

*Our historic know-how in the field of welding protection allows us to offer an effective, simple and easy to use range.*



# WELDING SELECTION GUIDE

Download the instructions and use and maintenance advice at [bolle-safety.com](http://bolle-safety.com), Products - welding category section.

MODELS	VOLT	FUSION+	FLASH
ELECTRO-OPTICAL	TRUE COLOR	TRUE COLOR	TRUE COLOR
FILTER SIZE	110x90x9 mm	110x90x9 mm	110x90x9.8 mm
FIELD OF VISION	96x39 mm	100x53 mm	98x87 mm
CE OPTICAL CLASS	1/1/1/2	1/1/1/2	1/1/1/1
DETECTION SENSORS	2	4	4
GRINDING FEATURE	Yes (external)	Yes (external)	Yes (external)
SENSITIVITY ADJUSTMENT	Yes (internal)	Yes (internal)	Yes (internal)
VARIABLE SHADES	4/9-13 (external)	4/5-8/ 9-13 (external)	4/5-8/9-13 (internal)
SHADE RANGE	-	5-8/9-13 (internal)	5-8/9-13 (internal)
REACTION TIME	0.1 to 1s (internal)	0.1 to 1s (internal)	0.1 to 1s (internal)
UV/IR PROTECTION	Permanent	Permanent	Permanent
REPLACEABLE BATTERY	Yes (CR2032 battery)	Yes (CR2032 battery)	Yes (CR2450 battery)
LOW BATTERY INDICATOR	Yes	Yes (red light)	Yes (red light)
ERGONOMIC SHAPE-MEMORY HEADBAND	No	Yes	Yes
PROTECTIVE COVER INCLUDED	No	Yes	Yes
WARRANTY	2 years	2 years	2 years

- Filter performance is measured by its optical class consisting of 4 numbers, for example 1/1/1/1 or 1/1/1/2 standing for, in order:
- The optical quality (minimum optical deformation in class 1)
  - Light diffusion (maximum accuracy in class 1)
  - Consistency (minimum image disturbance in class 1)
  - Dependency angle (maximum field of vision in class 1)


## NEW

Depending on your activity, choose your spectacles or goggles welding shades on page 93.

Our welding range is entirely researched and designed to meet current standards as well as comfort and style rules. All our welding helmets are fitted with active darkening filters (ADF) for all types of welding (Coated electrode arc, MIG/MAG, TIG, PLASMA) for effective protection from UVs and infrared.

The new TRUE COLOR technology on our active filters makes it possible to improve colour recognition while reducing eye fatigue and increasing visibility of the welding area.

(Available in summer 2020)





# Flash

## XXL version welding

- + XXL 98 x 87 mm field of vision
- + Ergonomic shape-memory headband

### Technologies

ELECTRO-OPTICAL FILTER



TRUE COLOR



562 g



+ 4 INDEPENDENT  
DETECTION SENSORS

+ ALL INTERIOR ADJUSTMENTS: SHADE SELECTION, SENSITIVITY,  
TIME TO RETURN TO CLEAR, GRINDING OR WELDING FUNCTION



+ 5-8 / 9-13 FILTER



5-8 / 9-13 filter



MODEL	FRAME	REFERENCES	DESCRIPTION	EUROPEAN
FLASH	■ Black	FLASHV	Full electro-optical helmet with variable shades 5-8 / 9-13	EN379/EN175
	-	B9V	Electro-optical filter with variable shades 5-8 / 9-13	EN379
	-	COVFLASHEXT	118 x 136 mm outer protective screen	EN166
	-	COVFLASHINT	105 x 92 mm inner protective screen	EN166
	-	STWELD	Ergonomic shape-memory headband	CE
	-	BESM	Sweatband	CE
Accessory	Supplied with	BAGWELD	Protective bag	-

A combination of performance, safety and style

- + 100 x 53 mm field of vision
- + Ergonomic shape-memory headband

Technologies

ELECTRO-OPTICAL FILTER



TRUE COLOR



525 g



+ REACTION TIME: 0.10 MS

+ PERMANENT UV AND IR PROTECTION



+ LOW BATTERY INDICATOR AND REPLACEABLE BATTERY

+ 5-8 / 9-13 FILTER



Selection of welding shades and grinding position (shade 4)



4 independent detection sensors



MODEL	FRAME	REFERENCES	DESCRIPTION	EUROPEAN
<b>FUSION+</b>	■ Black	FUSV	Electro-optical helmet (complete) with variable shades 4 / 5-8 / 9-13	EN379/EN175
	-	B7VP	Electro-optical filter with variable shades 4 / 5-8 / 9-13	EN379
	-	COVFUSPEXT	115 x 104 mm outer protective screen	EN166
	-	COVFUSPINT	105 x 58 mm inner protective screen	EN166
	-	STWELD	Ergonomic shape-memory headband	CE
	-	BESM	Sweatband	CE
<b>Accessory</b>	Supplied with	BAGWELD	Protective bag	-



Robustness, protection and style

- + Adjustable sensitivity of the return to a clear state
- + Ergonomic shape-memory headband

Technologies

ELECTRO-OPTICAL FILTER



TRUE COLOR



480 g



Marine Brégeon - Gold medallist in the 2009 French welding championships and expert instructor.

- + REACTION TIME: 0.10 MS
- + VARIABLE SHADES 4 / 9-13
- + WELDING SHADES 9-13



Filter 9-13 + shade 4 (grinding)



2 independent detection sensors



MODEL	FRAME	REFERENCES	DESCRIPTION	EUROPEAN
VOLT	■ Black	VOLT V	Full electro-optical helmet with variable shade 4 / 9-13	EN379/EN175
	-	B6V	Electro-optical filter with variable shade 4 / 9-13	EN379
	-	COVFUSPEXT	115 x 104 mm outer protective screen	EN166
	-	COVOINT	102.5 x 42.3 mm inner protective screen	EN166
	-	STFUSP	Adjustable headband	CE
	-	BESM	Sweatband	CE
	-			

# TRACKER II

*Ultra-comfortable and technical*



Available in clear, smoke and yellow, on page 53.

52 g

# SUPERBLAST

*Flexible frame and grey shade for increased comfort and accuracy*



111 g

Available in clear, on page 70.

# BANDIDO

*An economical model for genuine protection*



28 g

Available in clear and smoke, on page 62.

# SLAM

*Stylish and ergonomic*



23 g

Available in clear and smoke, on page 62.

# SQUALE

*Cost effective and compatible with most prescription spectacles*



OTG

43 g

Available in clear, on page 64.

# COVERSAL

*Double protection from gas welding radiation*





91 g





# SHADE CHOICE GUIDE

## WELDING SPECTACLES AND GOGGLES







### Shade 1.7 for welding assistants

MODEL	TEMPLES	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>SLAM</b>	■ Black	 Welding shade 1.7	SLAWPCC2	1.7 ☰ 1 FT C€	☰ EN166 FT C€	AS/AF
<b>TRACKER II</b>	■ Grey/Black	 Welding shade 1.7	TRACWPCC2	1.7 ☰ 1 FT C€	☰ EN166 FT C€	AS

### Shade 3 for grinding and welding-brazing

MODEL	TEMPLES	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>SLAM</b>	■ Black	 Welding shade 3	SLAWPCC3	3 ☰ 1 FT C€	☰ EN166 FT C€	AS
<b>TRACKER II</b>	■ Grey/Black	 Welding shade 3	TRACWPCC3	3 ☰ 1 FT C€	☰ EN166 FT C€	AS

### Shade 5 for welding-brazing and oxy-cutting applications

MODEL	TEMPLES/FRAME	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>SPECTACLES</b>						
<b>BANDIDO</b>	■ Black	 Welding shade 5	BANWPCC5	5 ☰ 1 FT C€	☰ EN166 FT C€	AS
<b>SLAM</b>	■ Black	 Welding shade 5	SLAWPCC5	5 ☰ 1 FT C€	☰ EN166 FT C€	AS
<b>TRACKER II</b>	■ Grey/Black	 Welding shade 5	TRACWPCC5	5 ☰ 1 FT C€	☰ EN166 FT C€	AS
<b>OTG</b>						
<b>SQUALE</b>	■ Black	 Welding shade 5	SQUWPCC5	5 ☰ 1 S C€	☰ EN166 S C€	AS
<b>GOGGLES</b>						
<b>COVERSAL</b>	■ Grey/Black	 Welding shade 5	COVRP5	5 ☰ 1 C€	☰ EN166 / EN 175 T C€	-
<b>SUPERBLAST</b>	■ Black	 Welding shade 5	SUPBLAWPCC5	5 ☰ 1 BT 9 C€	☰ EN166 3 4 9 BT C€	AS/AF

**NEW**

The welding grey 5 shade on the Superblast goggles provides the same protection as green welding shade 5 but provides **better colour recognition for increased accuracy and effectiveness.**









# ***PRESCRIPTION SPECTACLES***

*As workplace performance is highly dependent on excellent vision, for over 40 years, Bollé Safety has been developing safety spectacles adapted to all eyesights. We guarantee high quality lenses and a wide range of frames that make it possible to cover most prescription requirements.*

# PRESCRIPTION SELECTION GUIDE

All our prescription items are supplied with a kit:  
**hard case and microfibre cloth..**



	MODELS	PAGES	BASE	REFERENCES	SIZE	ADJUSTABLE TEMPLES
MUST HAVES	SPICY	P 98	4	SPISLTO	53/19	✗
				SPISBKGN	53/19	✗
				SPIMBKB	53/19	✗
	KICK	P 99	4	KICMBKO	54/19	✗
				KICSDTO	54/19	✗
				KICMBKGY	54/19	✗
	B809	P 100	4	B809BL	54/17	✗
				B809BXL	57/17	✗
	B808 II	P 101	4	B808BS	49/18	
				B808RS	49/18	
				B808BL	54/17	
				B808RL	54/17	
	B807	P 102	6	B807N	57/17	
	B805	P 102	4	B805	54/18	
	B806	P 103	4	B806S	52/17	✗
				B806L	54/17	✗
COVERING	XTRA	P 104	6	XTRABKL	58/12	
	MACRO	P 105	6	MACN	54/18	
	URBAN	P 106	6	URBN	55/20	
	SLIDE	P 106	6	SILDN	57/21	
HYBRIDS	BAXTER RX	P 107	8	BAXN	63/18	
				BAXWFSN	63/18	
	TRACKER RX	P 108	6	TRACKERRX	74/20	
	TWISTER	P 108	6	TWISTN	56/26	
WRAP-AROUND	TRYON RX	P 109	8	TRYON	61/18	
	HARPER	P 110	8	HARPGN	62/16	✗
				HARPPN	62/16	✗
	HUSTLER RX	P 111	8	HUSTN	68/16	
METAL	B713	P 112	4	B713S	52/17	✗
				B713L	54/17	✗
	B712	P 113	4	B712S	52/14	✗
				B712L	54/14	✗
	B711	P 114	4	B711	48/21	
	B710	P 114	4	B710S	50/19	✗
				B710L	52/19	✗
	B708	P 115	4	B708S	52/18	✗
				B708L	54/18	✗
OFFICE SPECIALS	B806 ALU	P 115	4	B806ALU	54/17	
	SPICY OFFICE	P 116	4	OFSPISLTO	53/19	✗
	KICK OFFICE	P 117	4	OFKICMBKGY	54/19	✗



# WHY CHOOSE BOLLÉ SAFETY TO PROTECT AND CORRECT YOUR EMPLOYEES' EYESIGHT?

- Bad eyesight generates the risk of accidents and decreased productivity. **Our wide range of solutions meet 98% of prescription needs.**
- The Excellence prescription programme is a **simple, turnkey offer available to all** to combine protection and correction for every employee.
- We support you** to recommend the best solutions and our secure ordering website allows for reliable and simple real-time management.
- We guarantee **optimum lens quality** and personal service with **a network of local partner opticians.**

**Well protected eyes and properly corrected eyesight lowers the risks of accidents and reduces financial costs. Thousand of businesses are already working with us, why not yours?**

*Our models are available in Polycarbonate, CR39 and TRIVEX.*

**INNOVATING  
LENS TECHNOLOGY**

**HIGH PERFORMANCE  
COATINGS**

Anti-glare  
**AR**  
Anti-glare  
against blue light  
**B ZEN**  
**PLATINUM**  
Photochromic  
MODULATOR

**NEW  
FRAMES**

**stylish,  
sporting  
and a special  
office line!**

## THE PRESCRIPTION PROGRAMME

★ **EXCELLENCE**

The very essence of  
innovation to provide  
your employees more comfort  
and meet your obligations.

**WEBSHOP**

**An online order website  
developed for you!**

- + FAST
- + SIMPLE
- + RELIABLE



## SELECT YOUR FRAME BASE CORRECTLY

Depending on your protection requirements and your morphology **we propose frames with curves varying from 4 to 8.**



### SLIGHTLY CURVED

Recommended for  
all corrections



### CURVED

Adapted for  
85% of corrections



### VERY CURVED

Adapted for  
70% of corrections

**Check out our  
prescription  
brochure for  
more information**



**The frame selection may vary from one country to the other, please contact your salesperson for more information.**

# SPICY

MUST HAVES

BASE 4

Effective, modern and coloured

- + A choice of 3 colours
- + Modern and urban style
- + Available in a version without side shields (for office use)

18 g



+ BUILT-IN SIDE SHIELDS FOR LATERAL PROTECTION

+ LIGHTWEIGHT FRAME



+ NON-SLIP BRIDGE INSERT



MODEL	FRAME	VERSIONS	REFERENCES	SIZE	FRAME MARKING	TEMPLE LENGTH
SPICY	Light brown tortoise	-	SPISLTO	53/19	EN166 F CE	138 mm
	Black/green	-	SPISBKGN	53/19	EN166 F CE	138 mm
	Black/blue	-	SPIMBKB	53/19	EN166 F CE	138 mm



BASE 4

Effective, modern and coloured

- + A choice of 3 colours
- + Modern and urban style
- + Available in a version without side shields (for office use)

17 g



+ BUILT-IN SIDE SHIELDS  
FOR LATERAL PROTECTION

+ LIGHTWEIGHT FRAME



+ NON-SLIP BRIDGE INSERT



MODEL	FRAME	VERSIONS	REFERENCES	SIZE	FRAME MARKING	TEMPLE LENGTH
KICK	Black/Orange	-	KICMBKO	54/19	EN166 F CE	140 mm
	Dark tortoise	-	KICSDTO	54/19	EN166 F CE	140 mm
	Black/Grey	-	KICMBKGY	54/19	EN166 F CE	140 mm

# B809

MUST HAVES

BASE 4

## Discrete protection

- + Discrete thanks to its clear front
- + Available in XL size for larger faces
- + Adjustable thin temples

L: 23 g  
XL: 23 g



+ FIXED SHIELDS PROVIDING SIDE, LOWER AND UPPER PROTECTION



+ SLIGHTLY SHADED SHIELDS



MODEL	FRAME	VERSIONS	REFERENCES	SIZE	FRAME MARKING	TEMPLE LENGTH
<b>B809</b>	■ Black temples	LARGE	B809BL	54/17	👑 EN166 F C€	127 mm
	■ Black temples	EXTRA LARGE	B809BXL	57/17	👑 EN166 F C€	130 mm



# B808 II

MUST HAVES

## Style and universality

- + Polycarbonate bridge for perfect support
- + TIPGRIP comfort non-slip temples
- + Available in two sizes and colours

Available in the non prescription  
safety spectacles range

S: 20 g  
L: 20 g

BASE 4



+ WRAP-AROUND FRAME PROVIDING SIDE,  
LOWER AND UPPER PROTECTION



MODEL	FRAME	VERSIONS	REFERENCES	SIZE	FRAME MARKING	TEMPLE LENGTH
<b>B808 II</b>	■ Gunmetal	SMALL	B808BS	49/18	☞ EN166 F C ☞	130 mm
	■ Gunmetal	LARGE	B808BL	54/17	☞ EN166 F C ☞	135 mm
	■ Red	SMALL	B808RS	49/18	☞ EN166 F C ☞	130 mm
	■ Red	LARGE	B808RL	54/17	☞ EN166 F C ☞	135 mm

# B807

**BASE 6**


## Simplicity and optimum protection

- + Wrap-around frame for maximum protection
- + Non-slip bridge
- + Side shields


**24 g**


MODEL	FRAME	VERSIONS	REFERENCES	SIZE	FRAME MARKING	TEMPLE LENGTH
<b>B807</b>	■ Translucent grey/Black	-	B807N	57/17	👑 EN166 F C€	120 mm

# B805

**BASE 4**


## Clear protection

- + Fully translucent frame
- + TIPGRIP comfort non-slip temples
- + Built-in shields providing side, lower and upper protection


**23 g**


MODEL	FRAME	VERSIONS	REFERENCES	SIZE	FRAME MARKING	TEMPLE LENGTH
<b>B805</b>	■ Clear	-	B805	54/18	👑 EN166 F C€	140 mm



# B806

BASE 4

Finesse at the service of safety

- + Very trendy rectangular shape
- + Adjustable thin temples
- + Available in two sizes

S: 20 g  
L: 22 g



- + FIXED SHIELDS PROVIDING SIDE, LOWER AND UPPER PROTECTION
- + TINTED SHIELDS

- + LIGHTWEIGHT AND THIN FRAME
- + BRIDGE WITH NON-SLIP INSERTS



MODEL	FRAME	VERSIONS	REFERENCES	SIZE	FRAME MARKING	TEMPLE LENGTH
B806	Black temples	SMALL	B806S	52/17	EN166 F CE	140 mm
	Black temples	LARGE	B806L	54/17	EN166 F CE	140 mm



# XTRA

NEW

BASE 6



## Large, universal model

- + Large face special
- + Wide field of vision
- + Built-in shields providing side, lower and upper protection



Asian Fit

24 g





NEW

XTRA



+ PIVOTING TEMPLES  
TO ADJUST PROTECTION



MODEL	FRAME	VERSIONS	REFERENCES	SIZE	FRAME MARKING	TEMPLE LENGTH
XTRA	Black/Translucent	-	XTRABKL	58/12	EN166 F C€	120 mm

MACRO

Style and protection

- + Lightweight, ultra covering frame for maximum protection
- + Pivoting temples to adjust protection
- + Rounded shape

19 g

BASE 6



+ FLEXIBLE, THIN TEMPLES



MODEL	FRAME	VERSIONS	REFERENCES	SIZE	FRAME MARKING	TEMPLE LENGTH
MACRO	Clear grey blue	-	MACN	54/18	EN166 F C€	140 mm

# URBAN

COVERING

BASE 6

## Ergonomic and sporting

- + Built-in side shields
- + TIPGRIP comfort non-slip temples
- + Upper and lower protection



28 g



MODEL	FRAME	VERSIONS	REFERENCES	SIZE	FRAME MARKING	TEMPLE LENGTH
URBAN	Grey/Brown	-	URBN	55/20	EN166 F CE	127 mm

# SLIDE

BASE 6

## Sporty and modular

- + TIPGRIP comfort non-slip temples
- + Side, top and bottom shields



24 g



MODEL	FRAME	VERSIONS	REFERENCES	SIZE	FRAME MARKING	TEMPLE LENGTH
SLIDE	Grey/Black	-	SILDN	57/21	EN166 F CE	127 mm



# BAXTER RX

BASE 8

## Maximum protection and sealing

- + Increased protection
- + Ultra wrap-around frame
- + Sealed foam and retainer strap for maximum protection from particles (depending on the version)

Available in the non prescription safety spectacles range

39 g



+ STRAP WITH INGENIOUS ATTACHMENT SYSTEM



MODEL	FRAME	VERSIONS	REFERENCES	SIZE	FRAME MARKING	TEMPLE LENGTH
<b>BAXTER</b> Spectacle version	Blue/Black	Worn as spectacles	BAXN	63/18	EN166 F C€	122 mm
<b>BAXTER RX</b> Strap version	Blue/Black	Worn with foam + strap	-	-	EN166 3 4 5 F C€	-
		Foam + strap only kit	BAXKITFS	-	EN166 3 4 5 F C€	-
<b>NEW BAXTER</b> Without foam or strap	Blue/Black	Spectacles only	BAXWFSN	63/18	EN166 F C€	122 mm

# TRACKER RX

## Prescription version of the TRACKER model

- + Built-in lens insert adjustable to eyesight
- + Foam with indirect vented and retainer strap for better protection
- + Model lenses with PLATINUM® coating

Available in the non prescription safety spectacles range

52 g

BASE 6

+ WRAP-AROUND FRAME

+ INCREASED PROTECTION

+ ADJUSTABLE STRAP



MODEL	FRAME	VERSIONS	REFERENCES	SIZE	FRAME MARKING	TEMPLE LENGTH
<b>TRACKER RX</b>	■ Gunmetal/Black	-	TRACKERRX	74/20 (Spectacles) 45/28 (Insert)	EN 166 FT C€ (temple version) EN 166 3 4 BT C€ (strap version)	117 mm
<b>Accessory</b>	Supplied with	Optical insert	SOSTRACKER	-	-	-

# TWISTER

## Ultimate protection

- + Comfort foam
- + Adjustable strap
- + Ultra-covering frame

39 g

BASE 6



MODEL	FRAME	VERSIONS	REFERENCES	SIZE	FRAME MARKING	TEMPLE LENGTH
<b>TWISTER</b>	■ Gunmetal/Black	-	TWISTN	56/26	EN 166 F C€ (temple version) EN 166 3 F C€ (strap version)	117 mm



# TRYON RX

NEW

WRAP-AROUND

## Sporty design and absolute protection

- + Ultra wrap-around frame for maximum protection
- + **FLEX**: ultra-modular, shape-memory bridge to adapt to all faces
- + **FLEX 160°** to adapt to all heads and reduce pressure points

Available in the non prescription safety spectacles range

16 g

BASE 8



+ **OPTIONAL STRAP FOR MORE SUPPORT**



MODEL	FRAME	VERSIONS	REFERENCES	SIZE	FRAME MARKING	TEMPLE LENGTH
<b>TRYON RX</b>	Blue/Black	-	TRYON	61/18	EN 166 F C E	117 mm
<b>Accessory</b>	Optional	Retainer strap	PSPRUS+-S01	-	-	-

# HARPER

WRAP-AROUND

BASE 8

## Ultra wrap-around and coloured

- + Ultra wrap-around frame for maximum protection
- + Comfortable, bi-material coloured adjustable temples
- + Adjustable non-slip bridge

19 g



+ WIDE FIELD OF VISION



MODEL	FRAME	VERSIONS	REFERENCES	SIZE	FRAME MARKING	TEMPLE LENGTH
<b>HARPER</b>	Green/grey temples	-	HARPGN	62/16	EN166 F C€	115 mm
	Blue/grey temples	-	HARPBN	62/16	EN166 F C€	115 mm



# HUSTLER RX

WRAP-AROUND

BASE 8

## Sporting and ultra-protective

- + Ultra wrap-around frame for maximum protection
- + Sporty and modern design
- + Non-slip bridge

Available in the non prescription  
safety spectacles range

19 g



+ STRAIGHT AND FLEXIBLE TEMPLES

+ TIPGRIP NON-SLIP TEMPLES



+ SIDE SHIELDS



MODEL	FRAME	VERSIONS	REFERENCES	SIZE	FRAME MARKING	TEMPLE LENGTH
<b>HUSTLER RX</b>	■ Black	-	HUSTN	68/16	👑 EN 166 F C€	120 mm

# B713

METAL

BASE 4

## Elegance and protection

- + Adjustable acetate temples
- + Very trendy design
- + Fixed shields providing side, lower and upper protection

S: 27 g  
L: 30 g



+ **STYLISH METAL FRONT**



+ **ADJUSTABLE NOSE PADS**



MODEL	FRAME	VERSIONS	REFERENCES	SIZE	FRAME MARKING	TEMPLE LENGTH
<b>B713</b>	■ Black/Stainless steel	SMALL	B713S	52/17	👑 EN166 F C €	135 mm
	■ Black/Stainless steel	LARGE	B713L	54/17	👑 EN166 F C €	135 mm



# B712

BASE 4

Strength and simplicity

- + Adjustable temples and nose pads
- + Timeless style
- + Fixed shields providing side, lower and upper protection

S: 31 g  
L: 35 g



+ TINTED SHIELDS

+ ADJUSTABLE TEMPLES AND NOSE PADS



MODEL	FRAME	VERSIONS	REFERENCES	SIZE	FRAME MARKING	TEMPLE LENGTH
<b>B712</b>	■ Metal	SMALL	B712S	52/14	👑 EN166 F C€	140 mm
	■ Metal	LARGE	B712L	54/14	👑 EN166 F C€	140 mm

# B711

BASE 4

Frame adapted to panoramic face masks

- + Frame without shields
- + Spectacles for all-round vision goggles
- + Ultra thin hook temples



18 g



MODEL	FRAME	VERSIONS	REFERENCES	SIZE	FRAME MARKING	TEMPLE LENGTH
B711	■ Metal	-	B711	48/21	CE	147 mm

# B710

BASE 4

Simple and very lightweight design

- + Thin frame
- + Rectangular shape
- + Fixed shields providing side, lower and upper protection



S: 23 g  
L: 25 g

+ ADJUSTABLE TEMPLES  
AND NOSE PADS



MODEL	FRAME	VERSIONS	REFERENCES	SIZE	FRAME MARKING	TEMPLE LENGTH
B710	■ Gunmetal	SMALL	B710S	50/19	EN166 F CE	140 mm
	■ Gunmetal	LARGE	B710L	52/19	EN166 F CE	140 mm



# B708

BASE 4

The must have aviator frame at the service of safety

- + Aviator style with a double bridge
- + Adjustable temples and nose pads
- + Fixed shields providing side, lower and upper protection



S: 21 g  
L: 24 g

+ ADJUSTABLE TEMPLES  
AND NOSE PADS



MODEL	FRAME	VERSIONS	REFERENCES	SIZE	FRAME MARKING	TEMPLE LENGTH
B708	Bronze	SMALL	B708S	52/18	EN166 F CE	140 mm
	Bronze	LARGE	B708L	54/18	EN166 F CE	140 mm

# B806 ALU

BASE 4

Unique reinforced aluminium frame

- + Fixed shields providing side, lower and upper protection
- + Adjustable nose pads
- + Aluminium frame



31 g



Also available in classic version and several sizes see B806 model on page 103.

MODEL	FRAME	VERSIONS	REFERENCES	SIZE	FRAME MARKING	TEMPLE LENGTH
B806	Grey/Aluminium	-	B806ALU	54/17	EN166 F CE	132 mm

# SPICY OFFICE

Modern and effective

- + Modern trendy style
- + Without side shields
- + Supplied with the **ZEN** anti-glare blue light coating

Technology

**ZEN**



16 g

BASE 4



+ ADJUSTABLE TEMPLES



MODEL	FRAME	VERSIONS	REFERENCES	SIZE	FRAME MARKING	TEMPLE LENGTH
SPICY OFFICE	Light brown tortoise	-	OFSPISLTO	53/19	EN166 S CE	138 mm



# KICK OFFICE

Modern and effective

- + Modern trendy style
- + Without side shields
- + Supplied with the **ZEN** anti-glare blue light coating

Technology

**ZEN**



15 g

BASE 4



+ ADJUSTABLE TEMPLES



MODEL	FRAME	VERSIONS	REFERENCES	SIZE	FRAME MARKING	TEMPLE LENGTH
KICK OFFICE	Black/Grey	-	OFKICMBKGY	54/19	EN166 S CE	140 mm







A black and white photograph of a man with a beard and mustache, wearing dark safety sunglasses. He is looking directly at the camera. The background is slightly blurred, showing an industrial setting with a metal platform or staircase on the left. The image is framed by a large yellow diagonal shape that contains the B-Line logo and text.

**B LINE**

*B-Line is a safety eyewear range available to all  
and adapted to the most common industrial risks.  
B-Line showcases Bollé Safety expertise and quality.*

NEW

# BL30 SPECTACLES

b LINE

**BL30 provides a wrap-around protection and a universal design**

- + Scratch and fogging protection
- + “Stop-in” system (holds the temples to prevent contact with the lenses)
- + Lightweight and contains no metal parts

**CUSTOMISED OFFER:** ■ ■ ■ ■ ■

**A choice of 5 temple colours on request and subject to conditions**



MODEL	TEMPLES	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>BL30</b>	<span style="color: grey;">■</span> Clear	<span style="color: grey;">■</span> Clear	PSSBL30-014	2C-1.2  1 FT €€	EN166 FT €€	AS/AF
	<span style="color: grey;">■</span> Smoke	<span style="color: grey;">■</span> Smoke	PSSBL30-408	5-2.5  1 FT €€	EN166 FT €€	AS/AF

# BL13 SPECTACLES

**The BL13 model provides increased upper protection and a wide field of vision**

- + Side shields
- + Adjustable pivoting temples



MODEL	FRAME	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>BL13</b>	<span style="color: grey;">■</span> Clear	<span style="color: grey;">■</span> Clear	BL13CI	2-1.2  1 FT €€	EN166 FT €€	AS

# BL11 OVERSPECTACLES

**Simple and effective in two versions: Visitor version or with anti-scratch coating**

- + Side shields with a ventilation system
- + Compatible with all prescription spectacles



OTG



+ SIDE SHIELDS

MODEL	TEMPLES	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
<b>BL11</b>	<span style="color: grey;">■</span> Clear	<span style="color: grey;">■</span> Clear	BL11PI	2-1.2  1 FT €€	EN166 FT €€	-
	<span style="color: grey;">■</span> Clear	<span style="color: grey;">■</span> Clear	BL11CI	1 FT €€	EN166 FT €€	AS



# BL15 GOGGLES

6 LINE

Simple and cost effective, the BL15 goggles are suitable for all and is compatible with prescription spectacles

- + Flexible and vented frame
- + Available with an anti-fog coating
- + Adjustable tightening elastic
- + Sealed version available



MODEL	FRAME	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
BL15	Clear	Vented	BL15API	1 9 BT €€	EN166 3 4 9 BT €€	-
	Clear	Vented	BL15APSI	1 BT €€	EN166 3 4 9 BT €€	AF
	<b>NEW</b> Clear	Sealed	PSGBL15-A02	1 BT €€	EN166 345 BT €€	AS/AF

# BL20 FACE SHIELD

BL20 provides full head and face protection and a wide field of vision

- + Adjustable headband and protective headgear
- + Tilting shield
- + Option: adapter compatible with the SPHERE model shield

BL20PI



BL20HA

Helmet adapter



MODEL	HEADGEAR	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
BL20	Dark blue	Clear	BL20PI	1 B €€	EN166 B €€	-
	Black	Helmet adapter	BL20HA	-	EN1731 €€	-
	-	Spare lens	BL20FAPI	1 B €€	-	-

**Couldn't find these models  
in the catalogue? Find them  
on our web site!**

***bolle-safety.com***

**SPECTACLES**

**B272**



**TARGA**



**SLAM+**



**UNIVIS 10**



**SPIDER**



**VISITEUR**



**MAMBA**



**UNIVERSAL**



**SOLIS**



**VIPER**



**SUPER NYLSUN**



**VOODOO**



**GOGGLES**

**ELITE**



**X90**



**WELDING**

**BLOCUS**



**B100**



**B105R**



These models are on our web site,  
available while stocks last





# ***ACCESSORIES***

*To protect and take proper care of your spectacles, goggles or face shields, Bollé Safety has designed a complete range of practical and effective accessories.*

# CLEANING PRODUCTS

**b CLEAN**

*The B-Clean Bollé Safety range of cleaning solutions guarantees optimum cleaning. Alcohol and silicone free, its water-based formula guarantees a perfect cleaning and protection for your spectacles and goggles.*

- + Water-based formula
- + Alcohol and silicone free
- + For all types of lenses

**Dispenser with  
500 pre-impregnated  
wipes**

Ref. B500

**Cardboard  
wall dispenser**

Cleaning spray 250 ml  
+ 2 x 200 wipes.

Ref. B410

**Dispenser containing  
100 pre-impregnated wipes**

Ref. B100

**Cleaning spray  
500 ml**

Ref. B402

**Cleaning  
spray  
250 ml**

Ref. B411

**Cleaning spray  
50 ml**

Ref. B412

**Box of 200  
multi-function wipes**

Ref. B401



# ANTI-FOG SOLUTIONS

*Specially developed to combat the appearance of fogging, the B-Clean anti-fog line guarantees your eye protection will be used to its best.*



Get the user instructions on our web site **bolle-safety.com**



**Anti-fog kit**  
30 ml anti-fog solution spray  
+ 1 microfibre cloth  
(all types of lens except anti-glare). Available as 10 units in a display case.  
Ref. B200



**Anti-fog spray 500ml**  
(All types of lens except anti-glare).  
Ref. B250

## DISPENSER

### Kit out your workplace.

The B600 is a plastic dispenser containing 2 boxes of 200 multi-purpose wipes and a 500 ml cleaning spray. It can be fitted to the wall or stood on a surface.  
Ref. B600



# CASES AND CORDS

**Bollé Safety has designed a complete range of practical accessories to protect your spectacles, goggles and face shields.**



**NEW**



## Hard case

Small  
Ref. PACCASR-2

**NEW**



## Hard case

Large  
Ref. PACCASR-4



## Spring-top polyester pouch

Ref. ETUIS



## "Banana" case

with belt clip  
and loop  
Ref. ETUIB



## Soft polyester case

with belt loop.  
Ref. ETUIC



## Semi-hard polyester case

with belt loop.  
Ref. ETUICR



## Microfibre pouch

compatible with all our models.  
Available in bags of 10.  
Ref. ETUIFL



## Microfibre pouch

Compatible with all our models.  
Available in bags of 10.  
Ref. ETUIFS

## Protective bag

for welding helmets  
and face shields.  
Ref. BAGWELD



## Retainer strap

adjustable and compatible with  
several models (RUSH+, SILEX+,  
NESS+, TRYON, ULTIM8,  
MERCURO...).  
Ref. PSPRUS+-S01



## Black polyester cord

Available in bags of 10.  
Ref. CORD



## Classic adjustable cord

TPE tips, 100 % polyester. Available  
in bags of 10.  
Ref. CORDC



## "Sporty" adjustable cord

TPE tips, 100% polyester  
Available in bags of 10.  
Ref. CORDS





# ***CIVIL PROTECTION AND DEFENCE***

*As early as 1960, we developed eye protection adapted to the French Army, Navy and Aerospace. Today we propose a highly technical range for military uses or as part of civil protection, with and without correction, compliant with international standards EN 166 / ANSI Z87 / STANAG / MIL.*

*The flagship safety range products are available for the civil protection and defence sectors. Get COBRA, CONTOUR, CONTOUR METAL, HUSTLER, NESS+, PILOT, RUSH+, SILIUM+, TRYON, ULTIM8 and VOODOO.*

*Added to those is a full spectacle and goggles range that are ballistic certified including:*



For more information about the civil protection and defence range, visit [bolle-tactical.com](https://bolle-tactical.com) or contact us for specific developments.

## SWAT

- + Ballistic polycarbonate lens
- + Highly flexible, comfortable nylon frame

### Technologies

PLATINUM® (P) POLARIZED

28 g



## COMBAT

- + Ergonomic temples compatible with communications systems and ballistics helmets
- + Ultra wrap-around fit frame

### Technologies

PLATINUM® (P) CSP

28 g



Available in kit form

## X810

- + Sealed or ultra-vented version
- + Panoramic field of view
- + Quick-release system

### Technologies

PLATINUM® (P) CSP

120 g







 PLATINUM®

YOU WORK, YOU MOVE, YOU SWEAT

**IT RESISTS**

## ANTI-SCRATCH AND ANTI-FOG PLATINUM® COATING EVER LASTING PROTECTION

■ Applied by dipping the lenses and therefore covering both sides, the PLATINUM® coating is a permanent coating resistant to cleaning. It makes the lenses highly scratch-resistant and significantly slows the appearance of fogging, guaranteeing more safety, reliability and comfort.

■ Imitated but never equalled, PLATINUM® meets every requirement of all international standards, in particular EN166 option K and N. PLATINUM® is available on many models.



**SILIUM+**

Available in clear, smoke, CSP versions.



[bolle-safety.com](http://bolle-safety.com)






















**bolle**  
SAFETY

# QUICK SEARCH!

Find the models available for outdoor or mixed indoor/outdoor use models, specific welding models and safety goggles at a glance.







## SMOKE EYEWEAR

	MODEL	REFERENCES	TECHNO	PAGE
	AXIS	AXPSF	AS/AF	P 60
	BANDIDO	BANPSF	AS/AF	P 62
	BAXTER	BAXPSF		P 51
	BAXTER POLARIZED	BAXPOLWFS	POLARIZED	P 35
	COBRA	COBPSF		P 46
	CONTOUR	CONTPSF		P 50
	CONTOUR METAL	CONTMPSF	AS/AF	P 57
	CONTOUR POLARIZED	CONTPOL	POLARIZED	P 37
	HUSTLER	HUSTPSF HUSTPOL HUSTFLASH	AS/AF POLARIZED	P 38
	ILUKA	ILUPSF	AS/AF	P 58
	IRI-s	IRIPSF		P 48
	MERCURIO	MERPSF MERPOL	 POLARIZED	P 34
	NESS	NESSPSF	AS/AF	P 61







	MODEL	REFERENCES	TECHNO	PAGE
	NESS+	NESSPPSF		P 40
	RUSH	RUSHPSF	AS/AF	P 60
	RUSH+	RUSHPPSF RUSHPPSFY		P 42
	RUSH+ SMALL	RUSHPPSPFG RUSHPPSFL		P 44
	SILEX	SILEXPSF	AS/AF	P 59
	SILEX+	SILEXPPSF		P 39
	SILIUM	SILPSF	AS/AF	P 56
	SILIUM+	SILPPSF		P 41
	SLAM	SLAPSF	AS/AF	P 62
	TRACKER II	TRACPSF		P 53
	TRYON	TRYOPSF TRYOFLASH		P 49
	TRYON OTG	TRYOTGPSF		P 65
	TRYON POLARIZED	TRYOPOL	POLARIZED	P 36








# HYBRID GLASSES

	MODEL	REFERENCES	TECHNO	PAGE
	BAXTER	BAXPSI BAXCSP BAXPSF	✚P	P 51
	COBRA HYBRID	COBFSPSI COBFTPSI	✚P	P 54
	COBRA TPR	COBTPRPSI	✚P	P 76
	RUSH+ ASSEMBLED	RUSHPFSPSI	✚P	P 55
	TRACKER II	TRACPSI TRACPSF TRACPSJ	✚P	P 53
	ULTIM8	ULTIPSI	✚P	P 52

# WELDING GLASSES/GOGGLES

	MODEL	REFERENCES	TINT	PAGE
	BANDIDO	BANWPCC5	5	P 92
	COVERSAL	COVRP5	5	P 92
	SLAM	SLAWPCC2 SLAWPCC3 SLAWPCC5	1.7 3 5	P 92
	SQUALE	SQUWPCC5	5	P 92
	SUPERBLAST	SUPBLAWPCC5	5	P 92
	TRACKER II	TRACWPCC2 TRACWPCC3 TRACWPCC5	1.7 3 5	P 92

# SPECTACLES INDOOR/OUTDOOR

	MODEL	REFERENCES	TECHNO	PAGE
	BAXTER	BAXCSP	✚P CSP	P 51
	COBRA	COBESP COBCSP	✚P CSP ESP	P 46
	CONTOUR	CONTESP PSSCONT-C10	✚P CSP ESP	P 50
	CONTOUR METAL	CONTMESP	ESP	P 57
	MERCURO	MERCSP	✚P CSP	P 34
	NESS+	NESSPCSP	✚P CSP	P 40
	RUSH+	RUSHPCSP	✚P CSP	P 42
	RUSH+ SMALL	RUSHPCSPPL	✚P CSP	P 44
	SILEX+	SILEXPCSP	✚P CSP	P 39
	SILIUM+	SILPCSP	✚P CSP	P 41
	SLAM	SLAESP	ESP	P 62
	TRYON	TRYOCSP	✚P CSP	P 49

*If you can't find a model  
in the catalogue, you can find it  
on our website **bolle-safety.com***





Recommended price: 5,490 €  
 Imprim'Vert - Photos: J. B. Fédida - Images not contractually binding - Acknowledgments: Napex, Fontaine d'Arles, Mailbox of Zone Industrielle (C3) Marins pompier de Marseille  
 All rights reserved. The text, images and graphics are subject to copyright. The contents of this publication may not be copied, distributed or altered for commercial purposes without the written permission of Bolle Safety.



**bolle-safety.com**

## Europe / Bollé Safety

34, rue de la Soie  
 69100 Villeurbanne  
 France  
 Tel. 00 33 (0)4 78 85 23 64  
 Fax: 00 33 (0)4 78 85 28 56  
 E-mail: [contact@bolle-safety.com](mailto:contact@bolle-safety.com)

## UK & Ireland / Bollé Safety

Unit C83 - Barwell Business Park  
 Leatherhead Road - Chessington  
 Surrey - KT9 2NY - UK  
 Tel. 00 44 (0)208 391 4700  
 Fax: 00 44 (0)208 391 4733  
 E-mail: [sales@bolle-safety.co.uk](mailto:sales@bolle-safety.co.uk)



CATASAFGB

